



DISINFECTANT/SANITIZER/TUBERCULOCIDE/VIRUCIDE/FUNGICIDE/ALGAECIDE/SLIMICIDE/ DEODORIZER

When used as directed, this chlorine dioxide-generating product is proven effective as: a **disinfectant** against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enterica*, methicillin-resistant *S. aureus* (MRSA), vancomycin-resistant *Enterococcus faecalis*, *Mycobacterium bovis* (TB), *Listeria monocytogenes*, and *Candida albicans*; a **fungicide** against *Trichophyton mentagrophytes* [interdigitale] (athlete's foot), a **sanitizer** against *E. coli* (ad *E. coli* O157:H7), *S. aureus*, *Salmonella typhimurium* (MDRS), *Klebsiella pneumonia*, and *Listeria monocytogenes*; a plant and crop **bactericide** against *Penicillium digitatum*, *Botrytis Sp*, and *Fusarium solani*; and an **algacide** (*Phormidium boneri*). ***Viruses:** *Corona virus*, *Feline Calicivirus*, *Hepatitis A virus*, *Human Immunodeficiency virus type 1 (HIV-1)*, *Poliovirus-1*, *Rotavirus*, *Influenza-A virus*, *Rhinovirus type 37*, *Canine Parvovirus*, *Adenovirus type 5*, *Herpes Simplex virus type 2*, *Vaccinia virus*, and *Norovirus* (feline calici used as testing surrogate); *Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu).

See Technical Bulletin (page 5) for ATCC designation numbers of the above-listed organisms.

KEEP OUT OF REACH OF CHILDREN

DANGER

(See back panel for other cautions)

Active Ingredient:	
Sodium Chlorite:.....	30.5%
Other Ingredients:.....	69.5%
Total:	100.0%

Amount of Chlorine Dioxide generated = 0.05% in 24 liters of water

Net Weight of contents.....5.41 ounces (153.6 grams)

FIRST AID
If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If Inhaled: Remove victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. Get medical attention.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC Web site: www.npic.orst.edu).

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

**PRECAUTIONARY STATEMENTS HAZARDS TO
HUMANS AND DOMESTIC ANIMALS**

DANGER: DRY INGREDIENTS: CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND CAUSES SKIN BURNS. HARMFUL IF SWALLOWED. WEAR PROTECTIVE EYEWEAR (GOGGLES, FACE SHIELD OR SAFETY GLASSES). WEAR PROTECTIVE GLOVES. IF CONTACT WITH DRY INGREDIENTS OCCURS, WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING THE TOILET. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

NOTE: THIS PRODUCT IS DESIGNED TO FULLY COMPARTMENTALIZE DRY INGREDIENTS INSIDE A HYDROPHOBIC ENVELOPE. UNDER NORMAL USE CONDITIONS AND UNLESS SEALED PRODUCT ENVELOPE IS COMPROMISED, CONTACT WITH DRY INGREDIENTS SHOULD NOT OCCUR. HOWEVER, IF SEALED PRODUCT ENVELOPE IS COMPROMISED AND THE POTENTIAL FOR CONTACT WITH DRY INGREDIENTS OCCURS, THE ABOVE PRECAUTIONARY HANDLING STATEMENT SHOULD BE FOLLOWED.

When used as directed, on hard, non-porous surfaces (e.g., stainless steel, brass, glass, vinyl, PVC, polypropylene), this product is an effective sanitizer, disinfectant, tuberculocide, virucide*, fungicide, algacide, general-purpose antimicrobial and cleaner for use in a wide range of applications, including but not limited to: hospitals; medical & veterinary facilities; pharmaceutical production facilities, including equipment (e.g., ultracentrifuges); wineries, breweries, and beverage / bottling plants; laboratories and other clinical settings; potable and non-potable water systems and attendant equipment & tubing; restaurants and food processing plants; and greenhouses/horticultural settings. Heavily soiled surfaces must be pre-cleaned prior to treatment. Apply by mop, sponge, or sprayer, ensuring visible wetness for times specified for these applications, or apply through immersion or clean-in-place application. Wear a NIOSH/MHSA-approved respirator appropriate for chlorine dioxide when using a high-pressurized sprayer and under other circumstances detailed in the Technical Bulletin.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES AND OBJECTS PREVIOUSLY SOILED WITH BLOOD BODY FLUIDS POTENTIALLY CONTAINING HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 (HIV-1) (at 100 ppm/10 min. contact time)

- Wear protective barriers such as disposable latex gloves, gowns, masks, and eye coverings when handling items soiled with blood or body fluids.
- Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Selectocide 12G.
- Blood, other body fluids, and contaminated cleaning materials should be autoclaved and disposed of according to local regulations for infectious waste disposal.

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING. READ THE ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND USE.

1. Open the package, ensuring the 12G envelope inside is not cut. Discard desiccant.
2. To achieve an aqueous solution of 500 ppm chlorine dioxide, immerse (submerge) the 12G envelope in container with 24 liters of water. [To achieve an aqueous solution of 100 ppm chlorine dioxide directly, immerse (submerge) the 12G envelope in container with 120 liters of water.] Close/seal container tightly. Container interior should be dark and resistant to oxidation. See Technical Bulletin for recommendations regarding amount of water, contact times and dilutions for specific applications, and recommended container specifications.
3. WAIT AT LEAST 2 HOURS BEFORE USE TO ENSURE SOLUTION REACHES STANDARD FULL STRENGTH 500 PPM. MAY REMOVE FROM CONTAINER AFTER 2 HOURS FOR STANDARD LABEL USE.
4. Remove 12G from container and mix gently before use. Work in well-ventilated area and avoid inhaling fumes. Wear protective gloves if hands will come into contact with activated solution during dilution or application; wear NIOSH/MHSA-approved respirator for chlorine dioxide if working with stock (500 ppm) solution in open container. Remove envelope from container within 24 hours after activation. Do not reuse the 12G. Discard envelope according to instructions below. Before use, verify concentration with Selective Micro® Chlorine Dioxide Test Strips to ensure appropriate concentration (see Technical Bulletin for directions if Test Strips indicate lower-than-desired concentration).

5. Activate prior to expiration date stamped on package. Store unused solution (and/or subsequent dilutions) in a dark, oxidation-resistant closed or sealed container. Record activation date and concentration on stick-on label shipped with the product, and affix to storage container. Store activated solution in cool place out of direct sunlight (do not store in refrigerator dedicated to food storage). Use solution and/or subsequent dilutions within 15 days of activation.

Note: Verify concentration using Selective Micro® Test Strips. For concentrations above 10ppm, use Selective Micro® Wide Range test strips; for concentrations of 10ppm or less, use Selective Micro® Low Range test strips.

USE THE FOLLOWING GENERAL DILUTIONS AND TABLE

General Dilution Instructions: All dilutions begin with a stock solution at a nominal concentration of 500 ppm, except when the product is activated directly to the application concentration (see technical bulletin). Except where otherwise directed, or for other use concentrations (see technical bulletin), use the following dilution instructions to achieve the use concentration indicated:

To Achieve Use Concentration of:	Standard Use Dilution Device or Sprayer With a Dilution Ratio of:
100 ppm	1:5 (one part 500 ppm solution to 4 parts water)
50 ppm	1:10 (one part 500 ppm solution to 9 parts water 20 ppm)
20 ppm	1:25 (one part 500 ppm solution to 24 parts water)
5 ppm	1:100 (one part 500 ppm solution to 99 parts water)
0.25 ppm	1:2,000 (one part 500 ppm solution to 1,999 parts water)

SANITIZER FOR HARD, NON-POROUS, FOOD-CONTACT SURFACES, FOR HARD, NON-POROUS, NON-FOODCONTACT SURFACES. DISINFECTANT OR VIRUCIDE* FOR HARD, NON-POROUS SURFACES, DISINFECTANT FOR CLEAN-IN-PLACE APPLICATIONS FOR POTABLE WATER SYSTEMS, ANTIMICROBIAL AND GENERAL CLEANING APPLICATIONS FOR POTABLE WATER SYSTEMS, ANTIMICROBIAL APPLICATIONS FOR NON-POTABLE WATER SYSTEMS IN HORTICULTURAL SETTINGS, GENERAL DISINFECTANT, SANITIZER, ALGAECIDE AND FUNGICIDE FOR HORTICULTURAL AND GREENHOUSE APPLICATIONS , FRUIT AND VEGETABLE WASH TO EXTEND FRESHNESS AND SHELF-LIFE, ANTIMICROBIAL APPLICATIONS TO CONTROL THE BUILDUP OF MICROBES IN PROCESS WATERS FOR FRUIT AND VEGETABLE RINSE AND ASSOCIATED TANKS, FLUMES, AND LINES, ANTIMICROBIAL TREATMENT FOR POULTRY DRINKING WATER, SANITIZING FINAL RINSE OF PRE-CLEANED OR NEW RETURNABLE OR NON-RETURNABLE CONTAINERS, ANTIMICROBIAL AND GENERAL CLEANING USES FOR NON-POTABLE WATER APPLICATIONS INVOLVING RECIRCULATING WATER SYSTEMS (E.G., COOLING TOWERS, PAPER MILLS, AND DECORATIVE OR ORNAMENTAL FOUNTAINS).

PLEASE REFERENCE MASTER LABEL TECHNICAL BULLETIN FOR DETAILED USE PATTERNS AND DILUTION RATES.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL. STORE IN COOL, DRY, VENTILATED AREA. STORE BELOW 50° C (122° F). KEEP PRODUCT OUT OF DIRECT SUNLIGHT. STORE SEPARATELY FROM WATER AND ACIDS. IF PACKAGE RUPTURES AND CONTENTS SPILL, DO NOT PERMIT CONTACT OF CONTENTS WITH ORGANIC MATERIALS (FOR EXAMPLE: CLOTHING OR COMBUSTIBLE MATERIALS) OR ACIDS. PESTICIDE WASTES ARE TOXIC. IMPROPER DISPOSAL OF EXCESS DRY PESTICIDE IS A VIOLATION OF FEDERAL LAW. IF THIS PRODUCT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE. NONREFILLABLE CONTAINER. DO NOT REUSE OR REFILL THIS CONTAINER. OFFER FOR RECYCLING, IF AVAILABLE, OR DISPOSE OF SPENT ENVELOPE IN A SANITARY LANDFILL OR BY INCINERATION, OR IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

WARRANTY STATEMENT: The Company warrants the product to be free from defects in material and workmanship. THE COMPANY MAKES NO WARRANTY THAT THE GOODS SHALL BE MERCHANTABLE. THE COMPANY MAKES NO WARRANTY, EXPRESSED OR IMPLIED, EXCEPT SUCH AS IS EXPRESSLY SET FORTH HEREIN. The Company shall not be liable for any incidental or consequential damages for any breach of warranty. The Company's liability for any breach of warranty shall be limited to the purchase price of the product.

SAFETY DATA SHEET

SDS No.: 12G/A12: 121516

SECTION 1 • COMPANY AND CHEMICAL IDENTIFICATION

Selective Micro Technologies, LLC
6200 Avery Rd., Suite A
Dublin, OH 43016
(855) 256-8299 (8:30 AM – 4:30 PM EST)

EMERGENCY SOURCE INFORMATION
24-Hour Emergency Chemtrec: 800-424-9300

SUBSTANCE: Inorganic Oxidizing Agent
DRY PRODUCT: Sodium Chlorite
PRODUCT/TRADE NAMES/SYNONYMS: Selectroicide®12G, Selectroicide® A12

Recommended Use and Restrictions: When activated, product generates aqueous chlorine dioxide. This product is to be used as a disinfectant or sanitizer on hard, non-porous surfaces, as an antimicrobial agent in poultry processing, and to wash fruits and vegetables that are not raw agricultural commodities. There are no known restrictions.

CREATED BY: Selective Micro Technologies, LLC
CREATION DATE: May 5, 2004 REVISION DATE: December 15, 2016

SECTION 2 • HAZARD IDENTIFICATION

DRY PRODUCT: Sodium chlorite
SIGNAL WORD: DANGER
CATEGORY: Oxidizing solids (category 2)



May intensify fire; oxidizer



Causes burns to skin, serious eye damage



Respiratory tract irritant

SECTION 3 • COMPOSITION/INFORMATION ON INGREDIENTS

DRY PRODUCT

COMPONENT	CASRN	RANGE
Activator*	N/A	55-85%
Sodium Chlorite	7758-19-2	15-40%
Inert*	N/A	≤ 2%

*Proprietary ingredients

SECTION 4 • FIRST AID MEASURES

CONTACT WITH DRY PRODUCT

SKIN: Brush off loose product. Rinse skin immediately with plenty of water, then wash area with soap and water. Call a poison control center or doctor for treatment advice.

EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Seek medical attention immediately.

INGESTION: Call a poison control center or doctor immediately for treatment advice. Have person drink large quantities of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Remove individual from exposure to chemical. Seek fresh air. If individual is not breathing, administer CPR. If breathing is labored, seek medical attention.

SECTION 5 • FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARD: Sodium chlorite in the unactivated product is a strong oxidizer, and can support combustion in the absence of air.

EXTINGUISHING MEDIA: Fire-exposed containers should be watered and cooled with water fog. Decomposition can release oxygen that supports combustion and reduces effectiveness of suffocation-type extinguishing agents.

FIRE FIGHTING: Wear full protective clothing and self-contained breathing apparatus with full facepiece (pressure-demand, NIOSH-approved). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products.

HAZARDOUS COMBUSTION PRODUCTS: Decomposition can release oxygen that supports combustion and reduces effectiveness of suffocation-type extinguishing agents. Thermal decomposition products from incomplete combustion (pyrolysis) include carbon monoxide, carbon dioxide, and inorganic chlorine compounds.

SECTION 6 • ACCIDENTAL RELEASE MEASURES

DRY PRODUCT:

If contents of pouch are exposed, spilled, or otherwise introduced into the environment:

- Wear protective rubber gloves (see manufacturer details for tolerances)
- Wear protective goggles or other eye protection
- Wear an approved NIOSH mask to prevent inhaling fumes/dust
- Place contents on pouch in a plastic container
- Fill container with water to allow degradation/neutralization

SECTION 7 • HANDLING AND STORAGE

HANDLING: Use product as directed by label. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Thoroughly rinse any protective gear and handling equipment used prior to storage and reuse.

STORAGE: Observe all applicable regulations when storing this substance. Keep unactivated product in a cool, dry, ventilated area away from direct sunlight. Do not store with acids, chlorine and chlorine compounds, hypochlorites (bleach), organic solvents, sulfur and sulfite compounds, phosphorus, and combustible/flammable materials. Do not store in areas where sparking may occur.

SECTION 8 • EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: General exhaust ventilation is sufficient for safe use of this product. Avoid breathing any vapors, mists or fumes generated by inactivated chemicals. Local exhaust ventilation or NIOSH approved mask may be appropriate in applications, in confined spaces or where large quantities are used.

EYE PROTECTION: When handling dry ingredients approved safety goggles or face shield should be worn.

EMERGENCY WASH FACILITIES: None normally required when handling intact product. Safety shower and chemical eyewash facilities may be necessary if handling large quantities of dry ingredients.

GLOVES: None normally required when handling intact product. If handling exposed dry ingredients in product, use appropriate hand protection. Gloves made of rubber, neoprene or other chemically impervious gloves may be suitable. Consult glove manufacturer.

RESPIRATOR: None normally required when handling intact product. If dry chemicals are exposed, A NIOSH-approved air-purifying respirator or a NIOSH approved canister/cartridge respirator rated for chlorine/acid gas or specified for chlorine dioxide may be appropriate.

FOR FIREFIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: For firefighting, see section 5

EXPOSURE LIMITS:

COMPONENT	CASRN	OSHA	ACGIH	NIOSH
Activator	N/A	None Listed	None Listed	None Listed
Sodium Chlorite	7758-19-2	None Listed	None Listed	None Listed
Inert	N/A	15 mg/m ³ [^]	10 mg/m ³ [^]	None Listed

[^]Time Weighted Average

⁺Particulates Not Otherwise Regulated

SECTION 9 • PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Dry Product-white powdery substance.
UPPER/LOWER FLAMMABILITY LIMITS: NA
ODOR: Dry Product-NA
VAPOR PRESSURE: NA
ODOR THRESHOLD: 0.1 PPM
VAPOR DENSITY: NA
pH: NA
RELATIVE DENSITY: NA
MELTING/FREEZING POINT: NA

SOLUBILITY: COMPLETE

INITIAL BOILING POINT AND BOILING RANGE: NA
FLASH POINT: 185°C
EVAPORATION RATE: NA
FLAMMABILITY: NA
PARTITION COEFFICIENT: NA
AUTO-IGNITION TEMPERATURE: NA
DECOMPOSITION TEMPERATURE: 160°C
VISCOSITY: NA

SECTION 10 • STABILITY AND REACTIVITY

STABILITY: Product is stable under normal storage conditions. Ingredients are oxidizers and may decompose if heated above 160 °C, opened, or wetted.

CONDITIONS TO AVOID: Avoid storing product where it might become wet, or where the spilled contents of a damaged, unactivated pouch could dry to a crystalline salt or produce chlorine dioxide gas. Do not store where dry material may come into contact with sparking.

INCOMPATIBILITIES: Avoid accidental contact of dry ingredients or activated product with acids, chlorine compounds, hypochlorites (bleach), sulfur and sulfite compounds, phosphorus, organic solvents, and combustible/flammable materials.

HAZARDOUS DECOMPOSITION: Exposure of dry ingredients or activated product to acids or chlorine compounds can produce uncontrolled release of chlorine dioxide gas.

SECTION 11 • TOXICOLOGY INFORMATION

CARCINOGEN STATUS: Not Listed.

TARGET ORGANS: Skin, eyes.

ADDITIONAL DATA: None.

HEALTH EFFECTS OF UNACTIVATED PRODUCT: None anticipated under normal conditions of use. Contact with dry ingredients may cause burns.

INHALATION: None anticipated under normal conditions of use.

SKIN CONTACT: None anticipated under normal conditions of use.

EYE CONTACT: None anticipated under normal conditions of use; however, eye contact with dry ingredients may cause irreversible eye damage.

INGESTION: None anticipated under normal conditions of use.

DERMAL SENSITIZATION: Repeated exposure unlikely due to acute effects.

ACUTE INHALATION: NA

CARCINOGEN STATUS:

OSHA: Not Listed.

NTP: Not Listed.

IARC: Not Listed.

TARGET ORGANS: Skin, eyes, respiratory tract, mucous membranes.

ADDITIONAL DATA: None.

SECTION 12 • ECOLOGICAL INFORMATION

ACUTE AQUATIC TOXICITY: Not applicable.

DEGRADABILITY: Decomposes in water.

BIOCONCENTRATION FACTOR (BCF): Not applicable.

OCTANOL/WATER PARTITION COEFFICIENT: Not applicable.

SECTION 13 • DISPOSAL INFORMATION

Unactivated product should be disposed in accordance with all federal, state and local regulations.

SECTION 14 • TRANSPORTATION INFORMATION

D.O.T. Classification: 5.1, Oxidizer

D.O.T. Identification number: UN Number: 1496

Placard Required: Oxidizer, 1496, Class 5.1

IMO Requirements: EmS No. 5.1-06, MFAG table No. 7841, IMDG code page NO. 5180

SECTION 15 • REGULATORY INFORMATION

US FEDERAL REGULATIONS:

Clean Air Act: Not applicable.

Reportable Quantity: none established

Toxic Substances Control Act: Sodium chlorite listed on TSCA inventory

SARA Title III: Sodium chlorite is subject to reporting requirements of Section 313 of Title III of the 1986 Superfund Amendments and Reauthorization Act (SARA) and 40 CFR Part 372

ACUTE HAZARD: Irritant.

CHRONIC HAZARD: None known.

FIRE HAZARD: Oxidizer.

REACTIVITY HAZARD: Oxidizer.

SUDDEN RELEASE HAZARD: Not applicable.

STATE REPORTING REQUIREMENTS:

California Proposition 65: Not regulated.

New Jersey: See Section II.

SECTION 16 • OTHER**DISCLAIMER OF WARRANTY**

Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user, and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Nothing is intended as a recommendation for uses that infringe valid patents or as extending license under valid patents. Appropriate warnings and safe- handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, republication or transmission of this document, in whole or in part, is not permitted. Selective Micro Technologies, LLC assumes no responsibility for accuracy of information unless the document is the most current available from an official Selective Micro Technologies, LLC distribution system. Selective Micro Technologies, LLC neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except in the United States of America.

ATCC (OR OTHER) DESIGNATIONS FOR PATHOGENIC ORGANISMS LISTED ON
THE LABELS OF REGISTERED SELECTROCIDEDISINFECTANT PRODUCTS

—Always Consult Label to Verify Concentrations and Contact Times—

Bacteria (disinfection claims) 100 ppm/10-minute contact time

<i>Pseudomonas aeruginosa</i>	ATCC 15442
[<i>Staphylococcus aureus</i>]	ATCC 6538]
[<i>Salmonella enterica (choleraesuis)</i>]	ATCC 10708]
Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA)	ATCC 33592
Vancomycin-resistant <i>Enterococcus faecalis</i> (VRE)	ATCC 51299
<i>Candida albicans</i>	ATCC 10231
<i>Trichophyton interdigitale</i>	ATCC 9533
[<i>Listeria monocytogenes</i>]	ATCC 19111]
<i>Mycobacterium bovis</i> (TB)	BCG (Organon Teknika Corporation)

***Viruses (virucidal claims at 100 ppm/10-minute contact time)**

Coronavirus	ATCC VR-740, Strain 229E
[<i>Feline Calicivirus</i>]	ATCC VR-782, Strain F-9]
Hepatitis A virus	Strain HM-175
Human Immunodeficiency Virus type 1 (HIV-1)	Strain HTLV-III _B
Poliovirus-1	ATCC VR-1000, Strain Brunhilde
Rotavirus	Strain WA
Influenza-A virus	ATCC VR-544, Strain Hong Kong
Rhinovirus type 37	ATCC VR-1147, Strain 151-1
Canine Parvovirus	ATCC VR-2017, Strain Cornell
Adenovirus type 5	ATCC VR-5, Strain Adenoid 75
Herpes Simplex virus type 2	ATCC VR-734, Strain G
Vaccinia virus	ATCC VR-119, Strain WR
[<i>Norovirus (feline calicivirus surrogate)</i>]	ATCC VR-782, Strain F-9]
Pandemic 2009 H1N1 Influenza A virus	Reference <i>Influenza-A virus</i> (above)

Bacteria (sanitizer claim for hard, non-porous food contact surfaces) 5 ppm/1-minute contact time

[<i>Staphylococcus aureus</i>]	ATCC 6538]
[<i>Escherichia Coli</i>]	ATCC 11229]
[<i>Escherichia coli O157:H7</i>]	ATCC 43895]
[<i>Salmonella typhimurium</i> (MDRS)]	CI 01005 (University of Maryland)]

Bacteria (sanitizer claim for hard, non-porous non-food contact surfaces) 20 ppm/5-minute contact time

[<i>Staphylococcus aureus</i>]	ATCC 6538]
[<i>Klebsiella pneumoniae</i>]	ATCC 4352]
[<i>Listeria monocytogenes</i>]	ATCC 1911]

Bacteria (disinfection claims) 800 ppm/10-minute contact time

Carbapenem-resistant <i>Enterobacteriaceae: Klebsiella pneumoniae (CRKP)</i>	ATCC BAA-1705
--	---------------