

# Worksurface Essentials

## QUICK PRICE GUIDE



OFFICE FURNISHING  
SOLUTIONS

March 2021

Find up-to-date pricing and literature at:  
[www.OfficeFurnishingSolutions.com](http://www.OfficeFurnishingSolutions.com)



# ABOUT OFFICE FURNISHING SOLUTIONS

---




## Who we are...

Office Furnishing Solutions is a furniture manufacturer based in Stevens Point, WI that has been supplying the contract furniture industry for over 25 years. Our manufacturing line was created to provide high quality commercial office furniture to our dealerships' clientele who demand stylish and flexible furniture without the premium price tag. We take pride in our ability to provide effective solutions and to create positive change in the commercial office furniture industry.



## Our commitment to environmental stewardship...

Our GREEN manufacturing processes are second to none. Many of our products can contribute to LEED Certification. Look for our leaf symbol  throughout the pricer. Some of the products we offer contribute to LEED accreditation by satisfying one or more of the following LEED certification criteria:

- Products improve energy and atmosphere.
- Products consist of recycled or recyclable materials and resources.
- Products improve indoor environmental quality.
- Products apply to innovation and design process.

All operating divisions of our corporation are engaged in manufacturing processes focused on environmental stewardship. By recycling and re-purposing post-consumer materials, both in our products and in our processes, we reduce our carbon footprint during production and eliminate significant waste that might otherwise go to a landfill. Through our many years of disciplined manufacturing, we have effectively prevented over 300 million pounds of waste from going to landfills. From production to warehousing and shipping, we make sure that we do it GREEN! In our production process we use water based paints and adhesives, reuse post-consumer materials and components wherever practical, and engage in a strict recycling program for all manufacturing byproduct. Our warehouses even use energy efficient lighting and motion sensors to turn on the lights only when they are needed.

## Dealer Services

Office Furnishing Solutions supports our furniture dealers by providing professional services to assist them in satisfying the needs of their valued clients. See below for a select list of interior design and graphic presentation services offered:

CAD based space planning delivered via the following methods:

Design drawings and specifications in AutoCAD drawing files, CAP SP4 and SIF files for order processing and presentation purposes.

Customized sales presentations provided in PDF and PowerPoint formats including photo-realistic renderings, video files for 3D walk-throughs and digital files. Customization can include dealership and client information and graphics, pricing, finish offerings and more.

Upon request, we can provide printed and bound presentations.

# TERMS AND CONDITIONS

---

## PRICES

All prices are presented at manufacturer's list price. Dealer discounts are specified in the dealership agreement. We reserve the right to change prices without prior notice.

## LEAD TIMES

Our standard lead time is 3-4 weeks for production. Please contact our Customer Service Department if expedited production is required.

## FREIGHT

Freight is FOB Stevens Point, WI unless otherwise specified in your dealership agreement. In the absence of other instructions, we will coordinate freight, prepay and add it to your invoice. Office Furnishing Solutions will attempt to honor timed delivery requests, but will not be held responsible for delays with timed deliveries, unless the shipment has been guaranteed with the carrier in writing. Should an LTL shipment require the carrier to schedule a dock appointment, any additional fees will be added to the invoice.

## ORDERING

Customer should send purchase orders to Office Furnishing Solutions at [CustomerService@roefurniture.com](mailto:CustomerService@roefurniture.com), or faxed to (715) 345-2341. If your specifications were created with CAP or GIZA, please send the worksheets in PDF & SP4 with your purchase order.

## TERMS

With an approved credit application, terms are net 30 days from date of invoice. Invoices are delinquent if unpaid 30 days from date of invoice. Interest will be charged at the rate of 1.5% per month, or the highest legal rate, on delinquent accounts. Credit card payments will be assessed a handling fee. Customer will also be liable for all collection costs and attorney's fees.

## ORDERS

Orders are only accepted by issuance of a formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the Customer's responsibility to review our acknowledgment for its accuracy, and to notify Office Furnishing Solutions within 24 hours from the date of the acknowledgment of any inconsistencies. We reserve the right to substitute functionally comparable product.

## SHIPPING

Office Furnishing Solutions generally palletizes, boxes and/or stretch-wraps its products. If Customer requests additional packaging or special shipping, they are responsible for any extra costs. Customer obtains title to products and assumes the risk of loss for them upon shipment from our plant.

## TRANSIT DAMAGE

Office Furnishing Solutions is not responsible for damage suffered in transit. All merchandise is packed in an approved manner. Inspect all merchandise immediately. If a shipment is or appears to be damaged, **STOP!** Before the driver leaves, Customer must make specific damage/shortage notes on the

bill of lading and take photos at delivery before the shipment is unpacked or disturbed. If you sign the B.O.L. without noted issues you agree the shipment arrived in acceptable condition. **Freight Company assumes NO product damage liability if bill of lading is signed without notations.**

## CLAIMS

Customer must make all claims against Office Furnishing Solutions for defects, errors, or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

## RETURNS

Merchandise may not be returned without Office Furnishing Solutions' written consent and shipping instructions. Unauthorized returns will not be credited and return freight will be Customer's responsibility.

## PARTIAL SHIPMENTS

Every attempt will be made to ship orders complete and on schedule. However, Office Furnishing Solutions reserves the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

## ORDER CHANGE — CANCELLATIONS

After our detailed acknowledgment of an order, any order change or cancellation is subject to Office Furnishing Solutions' written approval.

## DELIVERY

Office Furnishing Solutions is not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

## STORAGE

If Customer cannot accept delivery when merchandise is ready, Office Furnishing Solutions reserves the right to transfer goods to storage. Costs of transfer and storage will be the Customer's responsibility. We will deem such transfers as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

## ABOUT US

Office Furnishing Solutions is the umbrella brand of Recycled Office Environments, Inc. To learn more about what we offer, visit us online at the following URLs:

**Office Furnishing Solutions:** [OfficeFurnishingSolutions.com](http://OfficeFurnishingSolutions.com)

**Recycled Office Environments, Inc.:** [www.ROEFurniture.com](http://www.ROEFurniture.com)

**Resource One Installation & Services:** [www.ResourceOne.biz](http://www.ResourceOne.biz)

**Segmented Systems Mfg.:** [www.SegmentedSystemsMfg.com](http://www.SegmentedSystemsMfg.com)

# TERMS AND CONDITIONS

## FINISHES

Please visit the Segmented Systems Mfg. website for current standard finishes.

## CONSTRUCTION – SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. The manufacturer reserves the right to make modifications and/or improvements without prior notice.

## DIRECTIONAL LAMINATE

Laminate is typically applied with the direction of grain as follows:

- The grain runs in the direction of the back edge of corner work surfaces (not diagonally).

- The grain runs along the length of rectangular work surfaces.
- The grain runs vertically on support panels having widths narrower than 60" and horizontally for longer widths.

## CUSTOMER'S OWN MATERIAL (COM)

Contact us regarding the use of non-standard or COM materials. Special instructions for handling the material (pattern, directional fabric, side of reversible fabric, etc.) must be submitted in writing prior to fabric delivery. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering which, in our opinion, is unsuitable for our fabricating purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of Customer's Own Material.



## RIGHTS AND WARRANTIES

### 12 Year – 3 Shift Limited Warranty

This limited warranty is given to the initial purchaser and is valid from the date of purchase through the warranty period provided the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product. If the product is defective, and if written notice of the defect is given to Office Furnishing Solutions within the applicable warranty period, Office Furnishing Solutions, at its option, will either repair or replace the defective product with a comparable component or product. Office Furnishing Solutions may also opt to provide a financial settlement equivalent to the market value of a comparable component. This warranty applies to all products unless noted below, or otherwise excepted.

High wear parts, such as laminate and veneer surfaces, fabrics, and other covering materials and finishes, foam, glides, etc. are warranted for one (1) year. Vended components or items distributed by Office Furnishing Solutions or used in the manufacturing process are limited by the warranty offered by the original equipment manufacturer or the subject components or items.

Office Furnishing Solutions is not responsible for damage caused in transit or by a carrier. Office Furnishing Solutions is not responsible for alteration to the product not expressly authorized by Office Furnishing Solutions.

Product considered to be of a consumable nature such as light bulbs, light ballasts, etc., as well as "Customer's Own Material" (i.e. material specified by the customer that is not a standard Office Furnishing Solutions offering) is warranted for 90 days.

Office Furnishing Solutions does not warrant the matching of finishes including colors, grain and textures.

A product will not be considered defective, and Office Furnishing Solutions will not be obligated to warrant it, if it is not installed in a proper (i.e. product not leveled, not secured properly, etc.).

Except as noted above, Office Furnishing Solutions makes no express or implied warranties for any product, and in particular, makes no warranty of fitness of particular use. At Office Furnishing Solutions' option, product repair or replacement or a financial settlement at fair market value of a comparable product is the customer's exclusive remedy for all product defects. Office Furnishing Solutions shall not be liable for consequential, economic, or incidental damages arising from any product defect. Expenses beyond the warranted product, including freight and installation services, are not covered by this warranty. All replacement products will ship FOB Stevens Point, WI. Your Office Furnishing Solutions dealer is our partner in supporting your warranty requests. To obtain support under this warranty, please contact your authorized Office Furnishing Solutions dealer.

Note: The products listed in this pricer are manufactured by, or for distribution by, Office Furnishing Solutions. Any reference or similarity to the products of an original equipment manufacturer (OEM) is not an expression of their approval or authorization.

# WORK SURFACE & BASE ESSENTIALS


---

Training Tops  
Page 29

Conference Tables  
Pages 24-28

Round Tops  
Page 30

T & X Bases  
Pages 32-37 & 39



# WORK SURFACE & BASE ESSENTIALS

|                       | DESCRIPTION  | PAGE  |
|-----------------------|--|-------|
| WORK SURFACES         | Rectangular Work Surfaces                          | 8-9   |
|                       | 90° Corner Work Surfaces                           | 10    |
|                       | 120° Corner Work Surfaces                          | 11    |
|                       | 90° Extended Corner Work Surfaces                  | 12-13 |
|                       | 90° Extended U-Shaped Corner Work Surfaces         | 14-15 |
|                       | P-Shaped Work Surfaces                             | 16-17 |
|                       | Rectangular Asymmetrical Work Surfaces             | 18    |
|                       | Wedge Work Surfaces                                | 19    |
|                       | Round Shaped Work Surfaces                         | 20    |
|                       | Transaction Surfaces                               | 21    |
|                       | Bow Shaped Desk Surfaces                           | 22    |
|                       | Work Surface Grommets                              | 23    |
| CONFERENCE TABLES     | Boat Shaped  | 24    |
|                       | Race Track   | 25    |
|                       | Rectangular  | 26    |
|                       | Wedge  | 27    |
|                       | Conference Table Bases                             | 28    |
| MULTI-USE TABLES      | Training Room Tables                               | 29    |
|                       | Square, Round & Half Round Work Surfaces           | 30    |
|                       | Quarter Round, Horseshoe & Trapezoid Work Surfaces | 31    |
|                       | Activity Table Legs                                | 31    |
|                       |  |       |
| TABLE BASES           | Arch T Bases                                       | 32-33 |
|                       | Arch X Bases                                       | 34    |
|                       | Tubular T Bases (Bolted Construction)              | 35    |
|                       | Tubular T Bases (Welded Construction)              | 36-37 |
|                       | Tubular C Bases                                    | 38    |
|                       | Tubular X Bases                                    | 39    |
|                       | Straight & Peninsula Legs                          | 40-41 |
|                       | H Legs   | 42    |
|                       | Duracast & Cylinder Bases                          | 43-44 |
|                       | Tapered & Bent Legs                                | 45    |
|                       | Electric Adjustable-Height Bases                   | 46-49 |
|                       | Table Base Options & Accessories                   | 50    |
| WORK SURFACE SUPPORTS | Work Surface Supports                              | 51-52 |
|                       | Transaction Surface Support                        | 53    |
|                       | Work Surface Support Panels                        | 54-55 |
|                       | Modesty Panels                                     | 56    |
|                       | Social Distancing Screens                          | 57    |

# RECTANGULAR WORK SURFACES




**DESCRIPTION** Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.

- NOTES**
- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per standard grommet. Standard location is the center back, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
  - Specify grommet color: Black, Light Grey, or Putty
  - Specify support separately.

**FINISH SPECIFICATIONS EXAMPLE**

**Part #:** RWS1824

- **Edge Finish:** Fusion Maple PVC
- **Work Surface Finish:** WA 7909-60 Fusion Maple



**NOTE:**

- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #. See page 52.
- Surfaces longer than 10' will be shipped in two pieces. Please call for pricing.

## 18"D RECTANGULAR WORK SURFACE

| PART #  | WIDTH | DEPTH | LIST  |
|---------|-------|-------|-------|
| RWS1824 | 24"   | 18"   | \$120 |
| RWS1830 | 30"   | 18"   | \$147 |
| RWS1836 | 36"   | 18"   | \$175 |
| RWS1842 | 42"   | 18"   | \$205 |
| RWS1848 | 48"   | 18"   | \$234 |
| RWS1854 | 54"   | 18"   | \$263 |
| RWS1860 | 60"   | 18"   | \$292 |
| RWS1866 | 66"   | 18"   | \$322 |
| RWS1872 | 72"   | 18"   | \$357 |
| RWS1878 | 78"   | 18"   | \$380 |
| RWS1884 | 84"   | 18"   | \$410 |
| RWS1890 | 90"   | 18"   | \$439 |
| RWS1896 | 96"   | 18"   | \$468 |

Custom sizes are offered. Please call for pricing and availability.



# RECTANGULAR WORK SURFACES



## 24"D RECTANGULAR WORK SURFACE

| PART #  | WIDTH | DEPTH | LIST  |
|---------|-------|-------|-------|
| RWS2424 | 24"   | 24"   | \$221 |
| RWS2430 | 30"   | 24"   | \$260 |
| RWS2436 | 36"   | 24"   | \$266 |
| RWS2442 | 42"   | 24"   | \$342 |
| RWS2448 | 48"   | 24"   | \$351 |
| RWS2454 | 54"   | 24"   | \$409 |
| RWS2460 | 60"   | 24"   | \$436 |
| RWS2466 | 66"   | 24"   | \$496 |
| RWS2472 | 72"   | 24"   | \$505 |
| RWS2478 | 78"   | 24"   | \$613 |
| RWS2484 | 84"   | 24"   | \$616 |
| RWS2490 | 90"   | 24"   | \$677 |
| RWS2496 | 96"   | 24"   | \$708 |

## 30"D RECTANGULAR WORK SURFACE

| PART #  | WIDTH | DEPTH | LIST  |
|---------|-------|-------|-------|
| RWS3024 | 24"   | 30"   | \$291 |
| RWS3030 | 30"   | 30"   | \$342 |
| RWS3036 | 36"   | 30"   | \$349 |
| RWS3042 | 42"   | 30"   | \$439 |
| RWS3048 | 48"   | 30"   | \$446 |
| RWS3054 | 54"   | 30"   | \$519 |
| RWS3060 | 60"   | 30"   | \$545 |
| RWS3066 | 66"   | 30"   | \$620 |
| RWS3072 | 72"   | 30"   | \$631 |
| RWS3078 | 78"   | 30"   | \$763 |
| RWS3084 | 84"   | 30"   | \$766 |
| RWS3090 | 90"   | 30"   | \$843 |
| RWS3096 | 96"   | 30"   | \$881 |

## 36"D RECTANGULAR WORK SURFACE

| PART #   | WIDTH | DEPTH | LIST    |
|----------|-------|-------|---------|
| RWS3672  | 72"   | 36"   | \$828   |
| RWS3696  | 96"   | 36"   | \$1,104 |
| RWS36120 | 120"  | 36"   | \$1,380 |
| RWS36144 | 144"  | 36"   | \$1,950 |

## 42"D RECTANGULAR WORK SURFACE

| PART #   | WIDTH | DEPTH | LIST    |
|----------|-------|-------|---------|
| RWS4272  | 72"   | 42"   | \$1,092 |
| RWS4296  | 96"   | 42"   | \$1,456 |
| RWS42120 | 120"  | 42"   | \$1,820 |
| RWS42144 | 144"  | 42"   | \$2,496 |

## 48"D RECTANGULAR WORK SURFACE

| PART #   | WIDTH | DEPTH | LIST    |
|----------|-------|-------|---------|
| RWS4872  | 72"   | 48"   | \$1,105 |
| RWS4896  | 96"   | 48"   | \$1,472 |
| RWS48120 | 120"  | 48"   | \$1,840 |
| RWS48144 | 144"  | 48"   | \$2,520 |

## 60"D RECTANGULAR WORK SURFACE

| PART #   | WIDTH | DEPTH | LIST    |
|----------|-------|-------|---------|
| RWS6096  | 96"   | 60"   | \$2,210 |
| RWS60120 | 120"  | 60"   | \$2,310 |
| RWS60144 | 144"  | 60"   | \$3,072 |

Custom sizes are offered. Please call for pricing and availability.

# 90° CORNER WORK SURFACES



## DESCRIPTION

Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage. It has 24"D or 30"D connecting sides.



## NOTES

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per standard grommet. Standard location is the back corner, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify corner style: Curved (CUR) or Notched (NTC)
- If corner style is not specified, Curved CUR style will be shipped as default.
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE

**Part #:** CORWS2436

- **Corner Style:** CUR
- **Edge Finish:** Fusion Maple PVC
- **Work Surface Finish:** WA 7909-60 Fusion Maple



## 90° CORNER WORK SURFACE

| PART #    | WIDTH | DEPTH | LIST  |
|-----------|-------|-------|-------|
| CORWS2436 | 36"   | 24"   | \$468 |
| CORWS2442 | 42"   | 24"   | \$592 |
| CORWS2448 | 48"   | 24"   | \$672 |
| CORWS3036 | 36"   | 30"   | \$506 |
| CORWS3042 | 42"   | 30"   | \$629 |
| CORWS3048 | 48"   | 30"   | \$684 |

## NOTE:

- On Notched Corner Work surfaces, all inside corners are radiused to eliminate seams.
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #. See page 52.
- Specify Corner Style: Curved (CUR) or Notched (NTC)
- If corner style is not specified, Curved CUR style will be shipped as default.

Straight Front Corner Work surfaces are offered. Custom sizes are also offered. Please call for pricing and availability.

# 120° CORNER WORK SURFACES



## DESCRIPTION

Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.


## NOTES

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per standard grommet. Standard location is the back corner, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE

**Part #:** 120/90WS2424

- **Edge Finish:** Fusion Maple PVC
- **Work Surface Finish:** WA 7909-60 Fusion Maple



### 24"D 120° CORNER 90° ENDS WORK SURFACE

| PART #       | WIDTH | DEPTH | LIST    |
|--------------|-------|-------|---------|
| 120/90WS2424 | 24"   | 24"   | \$915   |
| 120/90WS2430 | 30"   | 24"   | \$925   |
| 120/90WS2436 | 36"   | 24"   | \$936   |
| 120/90WS2442 | 42"   | 24"   | \$1,248 |
| 120/90WS2448 | 48"   | 24"   | \$1,315 |

### 30"D 120° CORNER 90° ENDS WORK SURFACE


| PART #       | WIDTH | DEPTH | LIST    |
|--------------|-------|-------|---------|
| 120/90WS3036 | 36"   | 30"   | \$971   |
| 120/90WS3042 | 42"   | 30"   | \$1,264 |
| 120/90WS3048 | 48"   | 30"   | \$1,336 |

### 24"D 120° CORNER 120° ENDS WORK SURFACE

| PART #        | WIDTH | DEPTH | LIST    |
|---------------|-------|-------|---------|
| 120/120WS2436 | 36"   | 24"   | \$936   |
| 120/120WS2442 | 42"   | 24"   | \$1,248 |
| 120/120WS2448 | 48"   | 24"   | \$1,315 |

### 30"D 120° CORNER 120° ENDS WORK SURFACE

| PART #        | WIDTH | DEPTH | LIST    |
|---------------|-------|-------|---------|
| 120/120WS3036 | 36"   | 30"   | \$971   |
| 120/120WS3042 | 42"   | 30"   | \$1,264 |
| 120/120WS3048 | 48"   | 30"   | \$1,336 |



Custom sizes are offered. Please call for pricing and availability.

# 90° EXTENDED CORNER WORK SURFACES



## DESCRIPTION

Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.

## NOTES

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per standard grommet. Standard location is the back corner, 3" from the edges of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify L for Left Extended or R for Right Extended.
- Specify corner style: Curved (CUR) or Notched (NTC)
- If corner style is not specified, Curved CUR style will be shipped as default.
- Specify support separately

## FINISH SPECIFICATIONS EXAMPLE


**Part #:** CORWS246036

- **Left or Right Extended:** L
- **Corner Style:** CUR
- **Edge Finish:** Fusion Maple PVC
- **Work Surface Finish:** WA 7909-60 Fusion Maple


## NOTE:

- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Add \$105 to LIST price and add suffix "ST" to the PART #. See page 52.
- Specify Corner Style: Curved (CUR) or Notched (NTC)
- If corner style is not specified, Curved CUR style will be shipped as default.

90° Extended  
Curved Corner  
Work Surface



90° Extended  
Notched Corner  
Work Surface



Custom sizes are offered. Please call for pricing and availability.

# 90° EXTENDED CORNER WORK SURFACES



## 24"D 90° EXTENDED CORNER WORK SURFACE

| DESCRIPTION          | PART #      | DEPTH | WIDTH | LENGTH | EXT. DEPTH | LIST    |
|----------------------|-------------|-------|-------|--------|------------|---------|
| 24"D Connecting Side | CORWS246036 | 24"   | 36"   | 60"    | 24"        | \$630   |
| 24"D Extension       | CORWS246636 | 24"   | 36"   | 66"    | 24"        | \$693   |
| 36"W                 | CORWS247236 | 24"   | 36"   | 72"    | 24"        | \$756   |
| 24"D Connecting Side | CORWS246042 | 24"   | 42"   | 60"    | 24"        | \$735   |
| 24"D Extension       | CORWS246642 | 24"   | 42"   | 66"    | 24"        | \$840   |
| 42"W                 | CORWS247242 | 24"   | 42"   | 72"    | 24"        | \$882   |
| 24"D Connecting Side | CORWS246048 | 24"   | 48"   | 60"    | 24"        | \$840   |
| 24"D Extension       | CORWS246648 | 24"   | 48"   | 66"    | 24"        | \$924   |
| 48"W                 | CORWS247248 | 24"   | 48"   | 72"    | 24"        | \$1,008 |
| 24"D Connecting Side | CORWS246060 | 24"   | 60"   | 60"    | 24"        | \$1,050 |
| 24"D Extension       | CORWS246660 | 24"   | 60"   | 66"    | 24"        | \$1,155 |
| 60"W                 | CORWS247260 | 24"   | 60"   | 72"    | 24"        | \$1,260 |

## 30"D 90° EXTENDED CORNER WORK SURFACE

| DESCRIPTION          | PART #      | DEPTH | WIDTH | LENGTH | EXT. DEPTH | LIST    |
|----------------------|-------------|-------|-------|--------|------------|---------|
| 30"D Connecting Side | CORWS306036 | 30"   | 36"   | 60"    | 30"        | \$634   |
| 30"D Extension       | CORWS306636 | 30"   | 36"   | 66"    | 30"        | \$715   |
| 36"W                 | CORWS307236 | 30"   | 36"   | 72"    | 30"        | \$760   |
| 30"D Connecting Side | CORWS306042 | 30"   | 42"   | 60"    | 30"        | \$775   |
| 30"D Extension       | CORWS306642 | 30"   | 42"   | 66"    | 30"        | \$881   |
| 42"W                 | CORWS307242 | 30"   | 42"   | 72"    | 30"        | \$889   |
| 30"D Connecting Side | CORWS306048 | 30"   | 48"   | 60"    | 30"        | \$855   |
| 30"D Extension       | CORWS306648 | 30"   | 48"   | 66"    | 30"        | \$936   |
| 48"W                 | CORWS307248 | 30"   | 48"   | 72"    | 30"        | \$1,020 |
| 30"D Connecting Side | CORWS306060 | 30"   | 60"   | 60"    | 30"        | \$1,068 |
| 30"D Extension       | CORWS306660 | 30"   | 60"   | 66"    | 30"        | \$1,170 |
| 60"W                 | CORWS307260 | 30"   | 60"   | 72"    | 30"        | \$1,280 |

Custom sizes are offered. Please call for pricing and availability.

# 90° EXTENDED U-SHAPED CORNER WORK SURFACES



**DESCRIPTION** Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.


**NOTES**

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per standard grommet. Standard location is the back corner, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify L for Left Extended or R for Right Extended.
- Specify corner style: Curved (CUR) or Notched (NTC)
- If corner style is not specified, Curved CUR style will be shipped as default.
- Specify support separately.

**FINISH  
SPECIFICATIONS  
EXAMPLE**

- Part #:** EUWS243660
- **Left or Right Extended:** L
  - **Corner Style:** CUR
  - **Edge Finish:** Fusion Maple PVC
  - **Work Surface Finish:** WA 7909-60 Fusion Maple

- NOTE:**
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
  - Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #. See page 52.
  - Specify Corner Style: Curved (CUR) or Notched (NTC)
  - If corner style is not specified, Curved CUR style will be shipped as default.



# 90° EXTENDED U-SHAPED CORNER WORK SURFACES



## 24"D 90° EXTENDED BULLET/U-SHAPED CORNER WORK SURFACE

| DESCRIPTION          | PART #     | DEPTH | WIDTH | LENGTH | EXT. DEPTH | LIST    |
|----------------------|------------|-------|-------|--------|------------|---------|
| 24"D Connecting Side | EUWS243660 | 24"   | 36"   | 60"    | 24"        | \$757   |
| 24"D Extension       | EUWS243666 | 24"   | 36"   | 66"    | 24"        | \$845   |
| 36"W                 | EUWS243672 | 24"   | 36"   | 72"    | 24"        | \$860   |
| 24"D Connecting Side | EUWS244260 | 24"   | 42"   | 60"    | 24"        | \$889   |
| 24"D Extension       | EUWS244266 | 24"   | 42"   | 66"    | 24"        | \$1,004 |
| 42"W                 | EUWS244272 | 24"   | 42"   | 72"    | 24"        | \$1,019 |
| 24"D Connecting Side | EUWS244860 | 24"   | 48"   | 60"    | 24"        | \$920   |
| 24"D Extension       | EUWS244866 | 24"   | 48"   | 66"    | 24"        | \$1,016 |
| 48"W                 | EUWS244872 | 24"   | 48"   | 72"    | 24"        | \$1,104 |
| 24"D Connecting Side | EUWS246060 | 24"   | 60"   | 60"    | 24"        | \$1,150 |
| 24"D Extension       | EUWS246066 | 24"   | 60"   | 66"    | 24"        | \$1,265 |
| 60"W                 | EUWS246072 | 24"   | 60"   | 72"    | 24"        | \$1,380 |

## 30"D 90° EXTENDED BULLET/U-SHAPED CORNER WORK SURFACE

| DESCRIPTION          | PART #     | DEPTH | WIDTH | LENGTH | EXT. DEPTH | LIST    |
|----------------------|------------|-------|-------|--------|------------|---------|
| 30"D Connecting Side | EUWS303660 | 30"   | 36"   | 60"    | 30"        | \$798   |
| 30"D Extension       | EUWS303666 | 30"   | 36"   | 66"    | 30"        | \$887   |
| 36"W                 | EUWS303672 | 30"   | 36"   | 72"    | 30"        | \$901   |
| 30"D Connecting Side | EUWS304260 | 30"   | 42"   | 60"    | 30"        | \$931   |
| 30"D Extension       | EUWS304266 | 30"   | 42"   | 66"    | 30"        | \$1,045 |
| 42"W                 | EUWS304272 | 30"   | 42"   | 72"    | 30"        | \$1,060 |
| 30"D Connecting Side | EUWS304860 | 30"   | 48"   | 60"    | 30"        | \$934   |
| 30"D Extension       | EUWS304866 | 30"   | 48"   | 66"    | 30"        | \$1,049 |
| 48"W                 | EUWS304872 | 30"   | 48"   | 72"    | 30"        | \$1,124 |
| 30"D Connecting Side | EUWS306060 | 30"   | 60"   | 60"    | 30"        | \$1,167 |
| 30"D Extension       | EUWS306066 | 30"   | 60"   | 66"    | 30"        | \$1,312 |
| 60"W                 | EUWS306072 | 30"   | 60"   | 72"    | 30"        | \$1,412 |

Custom sizes are offered. Please call for pricing and availability.

# SPECIAL APPLICATIONS: P-SHAPED WORK SURFACES



**DESCRIPTION** Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.

## NOTES

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per grommet. Standard location is the center back, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify L for Left Extended or R for Right Extended
- Corner style: Curved (CUR) for extended work surface
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE


- Part #:** PWS303660
- **Left or Right Extended:** L
  - **Corner Style:** CUR
  - **Edge Finish:** Wild Cherry PVC
  - **Work surface Finish:** WA 7054-60 Wild Cherry

## P-SHAPED WORK SURFACE

| DESCRIPTION                              | PART #    | DEPTH | DIAMETER | LENGTH | LIST  |
|--|-----------|-------|----------|--------|-------|
| 24"D Rectangular End<br>36" Diameter End | PWS243660 | 24"   | 36"      | 60"    | \$731 |
|  | PWS243666 | 24"   | 36"      | 66"    | \$823 |
|  | PWS243672 | 24"   | 36"      | 72"    | \$837 |
| 30"D Rectangular End<br>36" Diameter End | PWS303660 | 30"   | 36"      | 60"    | \$763 |
|  | PWS303666 | 30"   | 36"      | 66"    | \$855 |
|  | PWS303672 | 30"   | 36"      | 72"    | \$869 |

## NOTE:

- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.



Custom sizes are offered. Please call for pricing and availability.




# SPECIAL APPLICATIONS: P-SHAPED WORK SURFACES




## 90° EXTENDED P-SHAPED CORNER WORK SURFACE

| DESCRIPTION          | PART #     | DEPTH | WIDTH | LENGTH | DIAMETER | LIST    |
|----------------------|------------|-------|-------|--------|----------|---------|
| 24"D Connecting Side | EPWS243660 | 24"   | 36"   | 60"    | 36"      | \$831   |
| 36"W                 | EPWS243666 | 24"   | 36"   | 66"    | 36"      | \$935   |
| 36" Diameter End     | EPWS243672 | 24"   | 36"   | 72"    | 36"      | \$966   |
| 24"D Connecting Side | EPWS244260 | 24"   | 42"   | 60"    | 36"      | \$944   |
| 42"W                 | EPWS244266 | 24"   | 42"   | 66"    | 36"      | \$1,063 |
| 36" Diameter End     | EPWS244272 | 24"   | 42"   | 72"    | 36"      | \$1,104 |
| 24"D Connecting Side | EPWS244860 | 24"   | 48"   | 60"    | 36"      | \$1,077 |
| 48"W                 | EPWS244866 | 24"   | 48"   | 66"    | 36"      | \$1,222 |
| 36" Diameter End     | EPWS244872 | 24"   | 48"   | 72"    | 36"      | \$1,242 |
| 30"D Connecting Side | EPWS303660 | 30"   | 36"   | 60"    | 36"      | \$867   |
| 36"W                 | EPWS303666 | 30"   | 36"   | 66"    | 36"      | \$972   |
| 36" Diameter End     | EPWS303672 | 30"   | 36"   | 72"    | 36"      | \$996   |
| 30"D Connecting Side | EPWS304260 | 30"   | 42"   | 60"    | 36"      | \$985   |
| 42"W                 | EPWS304266 | 30"   | 42"   | 66"    | 36"      | \$1,104 |
| 36" Diameter End     | EPWS304272 | 30"   | 42"   | 72"    | 36"      | \$1,134 |
| 30"D Connecting Side | EPWS304860 | 30"   | 48"   | 60"    | 36"      | \$1,118 |
| 48"W                 | EPWS304866 | 30"   | 48"   | 66"    | 36"      | \$1,263 |
| 36" Diameter End     | EPWS304872 | 30"   | 48"   | 72"    | 36"      | \$1,281 |



### NOTE:

- The outermost point in the "bubble" extends 6" past the Width dimension.
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.



Custom sizes are offered. Please call for pricing and availability.

# SPECIAL APPLICATIONS: ASYMMETRICAL WORK SURFACES



**DESCRIPTION** Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.


## NOTES

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per grommet. Standard location is the center back, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify L for Left Extended or R for Right Extended
- Specify support separately.
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.

## FINISH SPECIFICATIONS EXAMPLE

**Part #:** RAW243030

- **Left or Right Extended:** L
- **Edge Finish:** Wild Cherry PVC
- **Work Surface Finish:** WA 7054-60 Wild Cherry



## RECTANGULAR ASYMMETRICAL WORK SURFACE

| PART #    | SHORT DEPTH | WIDTH | LONG DEPTH | LIST  |
|-----------|-------------|-------|------------|-------|
| RAW243030 | 24"         | 30"   | 30"        | \$291 |
| RAW243630 | 24"         | 36"   | 30"        | \$342 |
| RAW244230 | 24"         | 42"   | 30"        | \$368 |
| RAW244830 | 24"         | 48"   | 30"        | \$438 |
| RAW245430 | 24"         | 54"   | 30"        | \$473 |
| RAW246030 | 24"         | 60"   | 30"        | \$533 |
| RAW246630 | 24"         | 66"   | 30"        | \$578 |
| RAW247230 | 24"         | 72"   | 30"        | \$630 |
| RAW247830 | 24"         | 78"   | 30"        | \$745 |
| RAW248430 | 24"         | 84"   | 30"        | \$748 |
| RAW249030 | 24"         | 90"   | 30"        | \$823 |
| RAW249630 | 24"         | 96"   | 30"        | \$861 |

Custom sizes are offered. Please call for pricing and availability.

# SPECIAL APPLICATIONS: WEDGE WORK SURFACES



## DESCRIPTION


Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.

## NOTES

- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per grommet. Standard location is the center back, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify L for Left or R for Right Orientation
- Specify support separately.
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** WWS243030
- **Left or Right Orientation:** L
  - **Edge Finish:** Wild Cherry PVC
  - **Work Surface Finish:** WA 7054-60 Wild Cherry



| WEDGE WORK SURFACE |             |       |            |       |
|--------------------|-------------|-------|------------|-------|
| PART #             | SHORT DEPTH | WIDTH | LONG DEPTH | LIST  |
| WWS243030          | 24"         | 30"   | 30"        | \$291 |
| WWS243630          | 24"         | 36"   | 30"        | \$342 |
| WWS244230          | 24"         | 42"   | 30"        | \$368 |
| WWS244830          | 24"         | 48"   | 30"        | \$438 |
| WWS245430          | 24"         | 54"   | 30"        | \$473 |
| WWS246030          | 24"         | 60"   | 30"        | \$533 |
| WWS246630          | 24"         | 66"   | 30"        | \$578 |
| WWS247230          | 24"         | 72"   | 30"        | \$630 |
| WWS247830          | 24"         | 78"   | 30"        | \$745 |
| WWS248430          | 24"         | 84"   | 30"        | \$748 |
| WWS249030          | 24"         | 90"   | 30"        | \$823 |
| WWS249630          | 24"         | 96"   | 30"        | \$861 |

Custom sizes are offered. Please call for pricing and availability.

# SPECIAL APPLICATIONS: ROUND SHAPED WORK SURFACES



## DESCRIPTION


Half Circle Work surface has a notch, and attaches to the end of two back-to-back Rectangular or Extended Corner Work surfaces.  
U-Shaped Work surface hangs from a panel or wall strips.  
Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage.

## NOTES

- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** SWS3050
- **Edge Finish:** Fusion Maple PVC
  - **Work Surface Finish:** WA 7909-60 Fusion Maple




### SPANNER HALF CIRCLE WORK SURFACE

| PART #  | WIDTH  | DEPTH | LIST  |
|---------|--------|-------|-------|
| SWS3050 | 50.25" | 30"   | \$692 |
| SWS3662 | 62.25" | 36"   | \$781 |

#### NOTE:

- The size of the work surface is based off the width of the panel being spanned and the depth of the two work surfaces.
- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.



### BULLET/U-SHAPED WORK SURFACE

| PART #  | WIDTH | DEPTH | LIST  |
|---------|-------|-------|-------|
| UWS2448 | 48"   | 24"   | \$340 |
| UWS2460 | 60"   | 24"   | \$420 |
| UWS3048 | 48"   | 30"   | \$420 |
| UWS3060 | 60"   | 30"   | \$525 |
| UWS3072 | 72"   | 30"   | \$630 |
| UWS3672 | 72"   | 36"   | \$758 |

#### NOTE:

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.
- Order support separately.

Custom sizes are offered. Please call for pricing and availability.

# SPECIAL APPLICATIONS: TRANSACTION WORK SURFACES



## DESCRIPTION

15"D Rectangular Transaction Surface attaches to the top of a panel. Ends are flush with the panel. It has a PVC edge.


## NOTES

- Transaction Surface is 1.25" thick.
- Order Transaction Surface supports separately (page 53).
- LIST prices are for standard laminate surface and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.

## FINISH SPECIFICATIONS EXAMPLE


**Part #:** TWS1524

- **Edge Finish:** Wild Cherry PVC
- **Work Surface Finish:** WA 7054-60 Wild Cherry



## RECTANGULAR TRANSACTION WORK SURFACE

| PART #  | WIDTH | DEPTH | LIST  |
|---------|-------|-------|-------|
| TWS1524 | 24"   | 15"   | \$161 |
| TWS1530 | 30"   | 15"   | \$189 |
| TWS1536 | 36"   | 15"   | \$206 |
| TWS1542 | 42"   | 15"   | \$254 |
| TWS1548 | 48"   | 15"   | \$258 |
| TWS1560 | 60"   | 15"   | \$303 |
| TWS1572 | 72"   | 15"   | \$351 |
| TWS1596 | 96"   | 15"   | \$516 |



Graphic shows panel examples

## CORNER TRANSACTION WORK SURFACE

| PART #                  | PANEL WIDTH                            | LIST                         |
|-------------------------|--|------------------------------|
| 90TWS-A-B               | Specify dimensions A & B (in inches)   | (Dim. A x Dim. B) ÷ 3 = LIST |
| Example:<br>90TWS-72-48 | Dimension A = 72"<br>Dimension B = 48" | (72 x 48) ÷ 3 = \$1,152      |

## NOTE:

- Order Corner Transaction Surface based on individual or combined panel widths.
- Maximum combined panel width in one direction is 52", with maximum combined panel width 96" in the other direction.
- Specify total width of panels of dimension A.
- Specify total width of panels of dimension B.
- Corner Transaction Surfaces can be specified with default 90° squared corners. Rounded corners can also be specified at the same price.

# SPECIAL APPLICATIONS: BOW SHAPED DESK SURFACES



## DESCRIPTION


Work surfaces can be supported by panels, cantilevers, columns and legs. Each has a laminate top and a PVC edge. There is approximately a 1" gap at the back of the work surface for plug and cord passage. Order wire management, grommets, and other peripherals such as data communication ports separately.

## NOTES

- Specify Data Communication and Power Modules separately.
- Grommets: Add "-G" to the end of the PART # and add \$35 (LIST price) per grommet. Standard location is the center back, 3" from the edge of the work surface to the center of the hole. Grommets will complement the trim, unless otherwise specified.
- Specify grommet color: Black, Light Grey, or Putty
- Specify support separately.


## FINISH SPECIFICATIONS EXAMPLE

**Part #:** BOW3060-X  
 • **Edge Finish:** Wild Cherry PVC  
 • **Work Surface Finish:** WA 7054-60 Wild Cherry



### 30" BOW SHAPED WORK SURFACE

| PART #  | END DEPTH | WIDTH | CENTER DEPTH | LIST    |
|---------|-----------|-------|--------------|---------|
| BOW3060 | 30"       | 60"   | 36"          | \$630   |
| BOW3066 | 30"       | 66"   | 36"          | \$693   |
| BOW3072 | 30"       | 72"   | 36"          | \$756   |
| BOW3078 | 30"       | 78"   | 36"          | \$819   |
| BOW3084 | 30"       | 84"   | 36"          | \$882   |
| BOW3090 | 30"       | 90"   | 36"          | \$945   |
| BOW3096 | 30"       | 96"   | 36"          | \$1,008 |



### 36" BOW SHAPED WORK SURFACE

| PART #  | END DEPTH | WIDTH | CENTER DEPTH | LIST    |
|---------|-----------|-------|--------------|---------|
| BOW3672 | 36"       | 72"   | 42"          | \$882   |
| BOW3678 | 36"       | 78"   | 42"          | \$956   |
| BOW3684 | 36"       | 84"   | 42"          | \$1,029 |
| BOW3690 | 36"       | 90"   | 42"          | \$1,104 |
| BOW3696 | 36"       | 96"   | 42"          | \$1,180 |

## NOTE:


- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.
- A Modesty Panel, if specified additionally, can be installed in-line with or 6" in from Bowed edge corners.
- Surfaces longer than 10' will be shipped in two pieces. Please call for pricing.

Custom sizes are offered. Please call for pricing and availability.


# WORK SURFACE GROMMETS

Standard grommet locations are shown in the diagrams below, and differ depending on the application. Special placement is available upon request.



Rectangular Applications




Corner Applications



Extended Corner Applications



Grommet Cover



Grommet Insert

| GROMMET |  |      |
|---------|--|------|
| PART #  | DESCRIPTION                            | LIST |
| GROM    | 2-piece pass through grommet, no power | \$35 |

## NOTE:

- To specify a grommet in a work surface, add suffix "-G" to PART # and add \$35 to LIST price per grommet ordered.
- Fits in standard 2.5" diameter hole.
- Standard grommet locations shown in diagrams. Special placement available upon request.
- Specify grommet color: Black, Light Grey, or Putty. Other colors available upon request for an upcharge.
- Unless otherwise specified, grommets will be placed in the back center of all rectangular work surfaces, and the back corner of all corner or extended corner work surfaces.
- Power/Data/Com hardware available. Call to request a quote.

# CONFERENCE TABLES - BOAT SHAPED



## DESCRIPTION


Table surface can be supported by columns and table legs. It has a laminate top and a PVC edge. Order wire management, grommets, and other peripherals such as data communication ports separately.

## NOTES

- Specify Data Communication and Power Modules separately.
- Grommets: Add "-G" to the end of the PART # and add \$50 to LIST per Power/Data grommet. Specify grommet location. Power/Data grommet openings are left exposed to accommodate space for Power/Data units.
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** BSWS303672-X
- **Edge Finish:** Wild Cherry PVC
  - **Work Surface Finish:** WA 7054-60 Wild Cherry



### 36" BOAT SHAPED SURFACE

| PART #        | END | CENTER | LENGTH | LIST    |
|---------------|-----|--------|--------|---------|
| BSWS303672-X  | 30" | 36"    | 72"    | \$819   |
| BSWS303696-X  | 30" | 36"    | 96"    | \$1,092 |
| BSWS3036120-X | 30" | 36"    | 120"   | \$1,365 |

### 42" BOAT SHAPED SURFACE

| PART #        | END | CENTER | LENGTH | LIST    |
|---------------|-----|--------|--------|---------|
| BSWS364272-X  | 36" | 42"    | 72"    | \$1,092 |
| BSWS364296-X  | 36" | 42"    | 96"    | \$1,456 |
| BSWS3642120-X | 36" | 42"    | 120"   | \$1,820 |

### 48" BOAT SHAPED SURFACE

| PART #        | END | CENTER | LENGTH | LIST    |
|---------------|-----|--------|--------|---------|
| BSWS424872-X  | 42" | 48"    | 72"    | \$1,092 |
| BSWS424896-X  | 42" | 48"    | 96"    | \$1,456 |
| BSWS4248120-X | 42" | 48"    | 120"   | \$1,820 |

## NOTE:

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #. See page 52.
- Surfaces longer than 10' will be shipped in multiple pieces. Please call for pricing.



# CONFERENCE TABLES - RACE TRACK



## DESCRIPTION

Table surface can be supported by columns and table legs. It has a laminate top and a PVC edge. Order wire management, grommets, and other peripherals such as data communication ports separately.


## NOTES

- Specify Data Communication and Power Modules separately.
- Grommets: Add "-G" to the end of the PART # and add \$50 to LIST per Power/Data grommet. Specify grommet location.
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE

**Part #:** RTWS3672-X

- **Edge Finish:** Wild Cherry PVC
- **Work Surface Finish:** WA 7054-60 Wild Cherry



### 36" RACE TRACK SURFACE

| PART #      | WIDTH | LENGTH | LIST    |
|-------------|-------|--------|---------|
| RTWS3672-X  | 36"   | 72"    | \$819   |
| RTWS3696-X  | 36"   | 96"    | \$1,092 |
| RTWS36120-X | 36"   | 120"   | \$1,365 |

### 42" RACE TRACK SURFACE

| PART #      | WIDTH | LENGTH | LIST    |
|-------------|-------|--------|---------|
| RTWS4272-X  | 42"   | 72"    | \$1,092 |
| RTWS4296-X  | 42"   | 96"    | \$1,456 |
| RTWS42120-X | 42"   | 120"   | \$1,820 |

### 48" RACE TRACK SURFACE

| PART #      | WIDTH | LENGTH | LIST    |
|-------------|-------|--------|---------|
| RTWS4872-X  | 48"   | 72"    | \$1,092 |
| RTWS4896-X  | 48"   | 96"    | \$1,456 |
| RTWS48120-X | 48"   | 120"   | \$1,820 |

## NOTE:

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.
- Surfaces longer than 10' will be shipped in multiple pieces. Please call for pricing.

# CONFERENCE TABLES - RECTANGULAR




**DESCRIPTION** Table surface can be supported by columns and table bases. It has a laminate top and a PVC edge. Order wire management, grommets, and other peripherals such as data communication ports separately.

- NOTES**
- Specify Data Communication and Power Modules separately.
  - Grommets: Add "-G" to the end of the PART # and add \$50 to LIST per Power/Data grommet. Specify grommet location.
  - Specify support separately.

**FINISH SPECIFICATIONS EXAMPLE**

**Part #:** RWS3672-X

- **Edge Finish:** Wild Cherry PVC
- **Work Surface Finish:** WA 7054-60 Wild Cherry



## 36" RECTANGULAR SURFACE

| PART #     | WIDTH | LENGTH | LIST    |
|------------|-------|--------|---------|
| RWS3672-X  | 36"   | 72"    | \$828   |
| RWS3696-X  | 36"   | 96"    | \$1,104 |
| RWS36120-X | 36"   | 120"   | \$1,380 |
| RWS36144-X | 36"   | 144"   | \$1,950 |

## 42" RECTANGULAR SURFACE

| PART #     | WIDTH | LENGTH | LIST    |
|------------|-------|--------|---------|
| RWS4272-X  | 42"   | 72"    | \$1,092 |
| RWS4296-X  | 42"   | 96"    | \$1,456 |
| RWS42120-X | 42"   | 120"   | \$1,820 |
| RWS42144-X | 42"   | 144"   | \$2,496 |

## 48" RECTANGULAR SURFACE

| PART #     | WIDTH | LENGTH | LIST    |
|------------|-------|--------|---------|
| RWS4872-X  | 48"   | 72"    | \$1,105 |
| RWS4896-X  | 48"   | 96"    | \$1,472 |
| RWS48120-X | 48"   | 120"   | \$1,840 |
| RWS48144-X | 48"   | 144"   | \$2,520 |

## 60" RECTANGULAR SURFACE

| PART #     | WIDTH | LENGTH | LIST    |
|------------|-------|--------|---------|
| RWS6096-X  | 60"   | 96"    | \$2,210 |
| RWS60120-X | 60"   | 120"   | \$2,310 |
| RWS60144-X | 60"   | 144"   | \$3,072 |

### NOTE:

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.
- Surfaces longer than 10' will be shipped in multiple pieces. Please call for pricing.

Additional shapes of surfaces in similar sizes are available, typically at no additional upcharge.

# CONFERENCE TABLES - WEDGE



## DESCRIPTION


Table surface can be supported by columns and table legs. It has a laminate top and a PVC edge. Order wire management, grommets, and other peripherals such as data communication ports separately.

## NOTES

- Specify Data Communication and Power Modules separately.
- Grommets: Add "-G" to the end of the PART # and add \$50 to LIST per Power/Data grommet. Specify grommet location.
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** WSW304896
- **Edge Finish:** Wild Cherry PVC
  - **Work Surface Finish:** WA 7054-60 Wild Cherry



## WEDGE SHAPED SURFACE

| PART #      | END A | END B | LENGTH | LIST    |
|-------------|-------|-------|--------|---------|
| WSWS304896  | 30"   | 48"   | 96"    | \$1,182 |
| WSWS3048120 | 30"   | 48"   | 120"   | \$1,364 |
| WSWS3654120 | 36"   | 54"   | 120"   | \$1,727 |
| WSWS3654144 | 36"   | 54"   | 144"   | \$4,091 |
| WSWS4260168 | 42"   | 60"   | 168"   | \$4,364 |

## NOTE:

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.
- Surfaces longer than 10' will be shipped in multiple pieces. The image to the left shows two pieces. Please call for pricing.

## CONFERENCE TABLES - BASES



### FLAT END BASE WITH LAMINATE PANEL SIDES

| PART # | MAX TOP WIDTH | BASE SPREAD | LIST    |
|--------|---------------|-------------|---------|
| 1132   | 36"           | 18"         | \$2,795 |
| 1133   | 42" - 60"     | 24"         | \$2,851 |
| 1134   | 72" - 84"     | 34"         | \$3,404 |

#### NOTE:

- Prices are per individual base. Order as necessary.
- Available with sheet laminates. Call for details.
- Metal, veneer & other laminate options are available. Call for a quote.



### LAMINATE CYLINDER BASE

| PART # | DIAMETER | MAX TOP SIZE | LIST    |
|--------|----------|--------------|---------|
| CB15   | 15"      | 30" Round    | \$764   |
| CB18   | 18"      | 36" Round    | \$798   |
| CB23   | 23"      | 42" Round    | \$1,058 |
| CB24   | 24"      | 48" Round    | \$1,058 |
| CB30   | 30"      | 60" Round    | \$1,228 |

#### NOTE:

- Laminate Cylinder Bases are 27.75" in height unless otherwise specified.
- Adjustable glides are standard.
- Brackets are included for attaching the table top.
- Cylinder bases require 120 lbs. of sand or ballast in each base for stability. Customer to supply.



RECTANGULAR  
TABLE BASE WITH  
ACCESS DOOR

### RECTANGULAR TABLE BASE

W/O ACCESS DOOR


W/ ACCESS DOOR

| PART # | WIDTH | DEPTH | LIST    | LIST    |
|--------|-------|-------|---------|---------|
| RTB01  | 24"   | 12"   | \$1,081 | \$1,569 |
| RTB02  | 30"   | 12"   | \$1,313 | \$1,800 |
| RTB03  | 36"   | 12"   | \$1,492 | \$1,980 |

#### NOTE:

- The Rectangular Table Base is made out of laminated panels and can be configured to include a Data Access Door.
- A Data Access Door is necessary to connect a Data Com unit to the wiring in the floor.
- Please call for pricing on custom sizes of rectangular and cube bases.

# TRAINING ROOM TABLES



## 18" RECTANGULAR SURFACE

| PART #  | WIDTH | LENGTH | LIST  |
|---------|-------|--------|-------|
| RWS1824 | 18"   | 24"    | \$120 |
| RWS1830 | 18"   | 30"    | \$147 |
| RWS1836 | 18"   | 36"    | \$175 |
| RWS1842 | 18"   | 42"    | \$205 |
| RWS1848 | 18"   | 48"    | \$234 |
| RWS1854 | 18"   | 54"    | \$263 |
| RWS1860 | 18"   | 60"    | \$292 |
| RWS1866 | 18"   | 66"    | \$322 |
| RWS1872 | 18"   | 72"    | \$357 |
| RWS1878 | 18"   | 78"    | \$380 |
| RWS1884 | 18"   | 84"    | \$410 |
| RWS1890 | 18"   | 90"    | \$439 |
| RWS1896 | 18"   | 96"    | \$468 |

## 24" RECTANGULAR SURFACE

| PART #  | WIDTH | LENGTH | LIST  |
|---------|-------|--------|-------|
| RWS2424 | 24"   | 24"    | \$221 |
| RWS2430 | 24"   | 30"    | \$260 |
| RWS2436 | 24"   | 36"    | \$266 |
| RWS2442 | 24"   | 42"    | \$342 |
| RWS2448 | 24"   | 48"    | \$351 |
| RWS2454 | 24"   | 54"    | \$409 |
| RWS2460 | 24"   | 60"    | \$436 |
| RWS2466 | 24"   | 66"    | \$496 |
| RWS2472 | 24"   | 72"    | \$505 |
| RWS2478 | 24"   | 78"    | \$613 |
| RWS2484 | 24"   | 84"    | \$616 |
| RWS2490 | 24"   | 90"    | \$677 |
| RWS2496 | 24"   | 96"    | \$708 |

## 30" RECTANGULAR SURFACE

| PART #  | WIDTH | LENGTH | LIST  |
|---------|-------|--------|-------|
| RWS3024 | 30"   | 24"    | \$291 |
| RWS3030 | 30"   | 30"    | \$342 |
| RWS3036 | 30"   | 36"    | \$349 |
| RWS3042 | 30"   | 42"    | \$439 |
| RWS3048 | 30"   | 48"    | \$446 |
| RWS3054 | 30"   | 54"    | \$519 |
| RWS3060 | 30"   | 60"    | \$545 |
| RWS3066 | 30"   | 66"    | \$620 |
| RWS3072 | 30"   | 72"    | \$631 |
| RWS3078 | 30"   | 78"    | \$763 |
| RWS3084 | 30"   | 84"    | \$766 |
| RWS3090 | 30"   | 90"    | \$843 |
| RWS3096 | 30"   | 96"    | \$881 |

### NOTE:

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Unsupported spans greater than 42" require the addition of an under-surface stiffener bar. Stiffener bars must be ordered separately. Add \$105 to LIST price and add suffix "ST" to the PART #.



## DESCRIPTION

These surfaces have a laminate top and a PVC edge. Order wire management, grommets, and other peripherals such as data communication ports separately.


## NOTES

- LIST prices are for standard laminate and PVC edge. Non-standard finishes may result in additional charges. Please call for pricing.
- Specify support separately.

## FINISH SPECIFICATIONS EXAMPLE


**Part #:** WS4242

- **Edge Finish:** Wild Cherry PVC
- **Work Surface Finish:** WA 7054-60 Wild Cherry




### SQUARE WORK SURFACE

| PART # | WIDTH | LENGTH | LIST    |
|--------|-------|--------|---------|
| WS3636 | 36"   | 36"    | \$140   |
| WS4242 | 42"   | 42"    | \$676   |
| WS4848 | 48"   | 48"    | \$676   |
| WS5454 | 54"   | 54"    | \$1,056 |
| WS6060 | 60'   | 60'    | \$1,056 |



### ROUND WORK SURFACE


| PART # | DIAMETER | LIST    |
|--------|----------|---------|
| RDWS30 | 30"      | \$380   |
| RDWS36 | 36"      | \$380   |
| RDWS42 | 42"      | \$676   |
| RDWS48 | 48"      | \$676   |
| RDWS54 | 54"      | \$1,056 |
| RDWS60 | 60"      | \$1,056 |



### HALF ROUND WORK SURFACE


| PART #  | DIAMETER | LIST  |
|---------|----------|-------|
| HRDWS30 | 30"      | \$152 |
| HRDWS36 | 36"      | \$190 |
| HRDWS42 | 42"      | \$338 |
| HRDWS48 | 48"      | \$338 |
| HRDWS54 | 54"      | \$528 |
| HRDWS60 | 60"      | \$528 |

# MULTI-USE TABLES



## QUARTER ROUND WORK SURFACE

| PART #   | RADIUS | LIST  |
|----------|--------|-------|
| QRWS1818 | 18"    | \$100 |
| QRWS2424 | 24"    | \$170 |
| QRWS3030 | 30"    | \$265 |




## HORSESHOE SHAPED WORK SURFACE

| PART #     | DEPTH | WIDTH | END | LIST    |
|------------|-------|-------|-----|---------|
| HSWS336618 | 33"   | 66"   | 18" | \$760   |
| HSWS367224 | 36"   | 72"   | 24" | \$819   |
| HSWS489630 | 48"   | 96"   | 30" | \$1,456 |

### NOTE:

- Special sizes are available. Please call for pricing.







## TRAPEZOID WORK SURFACE

| PART #     | DEPTH | SHORT WIDTH | LONG WIDTH | LIST  |
|------------|-------|-------------|------------|-------|
| TZWS181838 | 18"   | 18"         | 38.8125"   | \$237 |
| TZWS242451 | 24"   | 24"         | 51.6875"   | \$395 |
| TZWS303064 | 30"   | 30"         | 64.625"    | \$595 |

### NOTE:

- Special sizes are available. Please call for pricing.

## CONFIGURATION EXAMPLES FOR MULTI-USE TABLES



## PIN ADJUSTABLE ACTIVITY LEGS

| PART #  | DESCRIPTION         | HEIGHT    | LIST  |
|---------|---------------------|-----------|-------|
| HD30-CH | Set of 4 Table Legs | 21" - 29" | \$293 |

### NOTE:

- Quick mount bracket available upon request.

# TABLE BASES

## DESCRIPTION

Arch bases boast elegance and stylish contemporary looks. The base is constructed by welding components together to create maximum strength and stability. Base height is 27.75". The column tubing is 2" OD x 14 gauge. The base tubing is 1.375" OD x 13 gauge.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available. For a shorter base, add \$71 to LIST. For a taller base, add \$99 to LIST.
- Bar height bases are 40.75" tall and require an addition of \$99 to LIST and add prefix "BH" to PART #.
- Wire management options are available.
- Adjustable Spring Clip: 24.75" to 33.75" in 1" increments. Add \$195 to LIST and add suffix "AH" to PART #.

## FINISH SPECIFICATIONS EXAMPLE

**Part #:** 7216

- **Quantity:** 2
- **Finish:** Dark Tone (SS DT)



ARCH T BASE



FOLDING ARCH T BASE



ARCH T BASE  
WITH FLIP-TOP



ARCH TT BASE

| ARCH T BASE |                 |                |             | FINISH |        |
|-------------|-----------------|----------------|-------------|--------|--------|
|             |                 |                |             | PAINT  | CHROME |
| PART #      | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST   | LIST   |
| 7216        | 2"              | 16" - 22"      | 16"         | \$316  | \$542  |
| 7222        | 2"              | 23" - 30"      | 22"         | \$322  | \$548  |
| 7226        | 2"              | 30" - 36"      | 26"         | \$333  | \$559  |

| ARCH T BASE WITH CASTERS |                 |                |             | FINISH |        |
|--------------------------|-----------------|----------------|-------------|--------|--------|
|                          |                 |                |             | PAINT  | CHROME |
| PART #                   | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST   | LIST   |
| C7216                    | 2"              | 16" - 22"      | 16"         | \$356  | \$581  |
| C7222                    | 2"              | 23" - 30"      | 22"         | \$361  | \$587  |
| C7226                    | 2"              | 30" - 36"      | 26"         | \$373  | \$598  |



# TABLE BASES

| ARCH T FOLDING BASE |                 |                |             | FINISH |        |
|---------------------|-----------------|----------------|-------------|--------|--------|
|                     |                 |                |             | PAINT  | CHROME |
| PART #              | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST   | LIST   |
| 7790                | 2"              | 16" - 22"      | 16"         | \$545  | \$770  |
| 7794                | 2"              | 23" - 30"      | 22"         | \$550  | \$776  |
| 7798                | 2"              | 30" - 36"      | 26"         | \$556  | \$782  |

## NOTE:

- Casters can be added to this base. Add \$40 per base to LIST, and add prefix "C" to PART #.

| ARCH T FLIP-TOP BASE |                 |                |             | FINISH |        |
|----------------------|-----------------|----------------|-------------|--------|--------|
|                      |                 |                |             | PAINT  | CHROME |
| PART #               | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST   | LIST   |
| H7760                | 2"              | 16" - 22"      | 16"         | \$621  | \$847  |
| H7764                | 2"              | 23" - 30"      | 22"         | \$627  | \$852  |
| H7768                | 2"              | 30" - 36"      | 26"         | \$632  | \$858  |

## NOTE:

- The handle release is included with Flip-Top tables. Specify length of table and width.
- Casters can be added to this base. Add \$40 per base to LIST, and add prefix "C" to PART #.

| ARCH TT BASE |                 |                     |             | FINISH |        |
|--------------|-----------------|---------------------|-------------|--------|--------|
|              |                 |                     |             | PAINT  | CHROME |
| PART #       | COLUMN DIAMETER | MAX. TOP DEPTH      | BASE SPREAD | LIST   | LIST   |
| 7236         | 2"              | 37" - 48" Rectangle | 36"         | \$661  | \$971  |
|              |                 | 52" - 60" Square    |             |        |        |
|              |                 | 60" Round           |             |        |        |

## NOTE:

- Folding option for tables 60" and longer require an upcharge. Add \$757 to LIST and add prefix "F" to PART #.
- Folding option for tables less than 60" upcharge \$497 to LIST and add prefix "F" to PART #.
- Casters can be added to this base. Add \$40 per base to LIST, and add prefix "C" to PART #.
- Special heights are available. For a shorter base, add \$164 to LIST. For a taller base, add \$218 to LIST. Bar height bases are 40.75" high, and require an addition of \$218 to LIST and add prefix "BH" to PART #.

# TABLE BASES

## DESCRIPTION

Arch bases boast elegance and stylish contemporary looks. The base is constructed by welding components together to create maximum strength and stability. Base height is 27.75". The column tubing is 2" OD x 14 gauge. The base tubing is 1.375" OD x 13 gauge.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available. For a shorter base, add \$99 to LIST. For a taller base, add \$127 to LIST.
- Bar height bases are 40.75" tall and require an addition of \$127 to LIST and add prefix "B" to PART #.
- Wire management options are available.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** 7326
- **Quantity:** 2
  - **Finish:** Dark Tone (SS DT)

## ARCH X BASE

FINISH  
PAINT CHROME

| PART # | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST  | LIST    |
|--------|-----------------|----------------|-------------|-------|---------|
| 7326   | 3"              | 30" R/S, 36" R | 26" x 26"   | \$675 | \$915   |
| 7332   | 3"              | 36" S, 42" R   | 32" x 32"   | \$733 | \$991   |
| 7338   | 3"              | 42" S, 54" R   | 38" x 38"   | \$796 | \$1,064 |



### NOTE:

- R = Round
- S = Square
- This base can be made compatible for Flip-Top by adding \$238 to LIST and adding prefix "FT" to PART #. Maximum top size is 48" for FT7338.

## ARCH X BASE WITH CASTERS

FINISH  
PAINT CHROME

| PART # | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST  | LIST    |
|--------|-----------------|----------------|-------------|-------|---------|
| C7326  | 3"              | 30" R/S, 36" R | 26" x 26"   | \$754 | \$993   |
| C7332  | 3"              | 36" S, 42" R   | 32" x 32"   | \$813 | \$1,072 |
| C7338  | 3"              | 42" S, 54" R   | 38" x 38"   | \$875 | \$1,144 |

### NOTE:

- R = Round
- S = Square
- This base can be made compatible for Flip-Top by adding \$238 to LIST and adding prefix "FT" to PART #. Max top size is 44" for FTC8338.

# TABLE BASES

## DESCRIPTION

Tubular bases are sleek, elegant, and space saving. The base is constructed by bolting components together to create a functional and aesthetically pleasing work surface support leg. Base height is 27.75". The column tubing is 14 gauge. The base tubing is 1.375" OD x 13 gauge.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available. For a shorter base, add \$71 to LIST. For a taller base, add \$99 to LIST.
- Bar height bases are 40.75" tall and require addition of \$99 to LIST and add prefix "BH" to PART #.
- Wire management options are available.

## FINISH SPECIFICATIONS EXAMPLE

- Part #: 7080**
- **Quantity:** 2
  - **Finish:** Medium Tone (SS MT)

## TUBULAR T BASE (BOLTED CONSTRUCTION)

| PART # | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | FINISH |        |
|--------|-----------------|----------------|-------------|--------|--------|
|        |                 |                |             | PAINT  | CHROME |
| 7080   | 2"              | 18" - 22"      | 18"         | \$311  | \$452  |
| 7084   | 2"              | 23" - 30"      | 22"         | \$316  | \$457  |
| 7088   | 2"              | 30" - 36"      | 26"         | \$322  | \$463  |



### NOTE:

- This is the bolted option. Also see Tubular T Base in welded construction.
- Casters are available for this option. Add \$45 to LIST per base, and add prefix "C" to PART #.

## TUBULAR T FOLDING/FLIP-TOP BASE (BOLTED CONSTRUCTION)

| PART # | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | FINISH |        |
|--------|-----------------|----------------|-------------|--------|--------|
|        |                 |                |             | PAINT  | CHROME |
| 7780   | 2"              | 18" - 22"      | 18"         | \$491  | \$632  |
| 7784   | 2"              | 23" - 30"      | 22"         | \$497  | \$638  |
| 7788   | 2"              | 30" - 36"      | 26"         | \$502  | \$644  |
| 7789   | 2"              | 36" - 42"      | 32"         | \$534  | \$675  |



### NOTE:

- Flip-N-Fold allows it to be used for either flipping the tabletop up, or folding the legs down. Folding legs can be mounted on tables as short as 60".

Assembly determines folding or flipping application.

# TABLE BASES

## DESCRIPTION

Tubular bases are sleek, elegant, and space saving. The base is constructed by welding components together to create maximum strength and stability. Base height is 27.75". The column tubing is 14 gauge. The base tubing is 1.375" OD x 13 gauge.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available. For a shorter base, add \$71 to LIST. For a taller base, add \$99 to LIST.
- Bar height bases are 40.75" tall and require an addition of \$99 to LIST and add prefix "BH" to PART #.
- Wire management options are available.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** 7016
- **Quantity:** 2
  - **Finish:** Medium Tone (SS MT)

## TUBULAR T BASE (WELDED CONSTRUCTION)

| PART # | COLUMN DIAMETER | BASE DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST  |
|--------|-----------------|---------------|----------------|-------------|-------|
| 7016   | 2"              | 2"            | 16" - 18"      | 16"         | \$296 |
| 7018   | 2"              | 2"            | 19" - 22"      | 18"         | \$299 |
| 7022   | 2"              | 2"            | 23" - 30"      | 22"         | \$305 |
| 7026   | 2"              | 2"            | 30" - 36"      | 26"         | \$310 |
| 7032   | 2"              | 2"            | 36" - 42"      | 32"         | \$394 |



### NOTE:

- This base is able to come with concealed wheels. Order one base per table with this option and one base with standard leveler for "wheelbarrow" mobility. Add \$164 to LIST, and add prefix "N" to PART #.
- This base has an adjustable spring clip option. For a standard height base, the range of height is 24.75" to 33.75", with adjustability in 1" increments. Add \$195 to LIST, and add prefix "AH" to PART #. For a bar height base, the range of height is 27.75" to 40.75". Add \$281 to LIST, and add prefix "AHB" to PART #.

## TUBULAR T BASE WITH CASTERS (WELDED CONSTRUCTION)

| PART # | COLUMN DIAMETER | BASE DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST  |
|--------|-----------------|---------------|----------------|-------------|-------|
| C7016  | 2"              | 2"            | 16" - 18"      | 16"         | \$336 |
| C7018  | 2"              | 2"            | 19" - 22"      | 18"         | \$339 |
| C7022  | 2"              | 2"            | 23" - 30"      | 22"         | \$345 |
| C7026  | 2"              | 2"            | 30" - 36"      | 26"         | \$351 |
| C7032  | 2"              | 2"            | 36" - 42"      | 32"         | \$432 |



### NOTE:

- Caster diameter is 2.375".
- This base has an adjustable spring clip option. For a standard height base, the range of height is 24.75" to 33.75", with adjustability in 1" increments. Add \$195 to LIST, and add prefix "AH" to PART #. For a bar height base, the range of height is 27.75" to 40.75". Add \$281 to LIST, and add prefix "AHB" to PART #.

# TABLE BASES

## TUBULAR T FOLDING BASE (WELDED CONSTRUCTION)

| PART # | COLUMN DIAMETER | BASE DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST  |
|--------|-----------------|---------------|----------------|-------------|-------|
| 7730   | 2"              | 2"            | 16" - 18"      | 16"         | \$519 |
| 7731   | 2"              | 2"            | 19" - 22"      | 18"         | \$522 |
| 7732   | 2"              | 2"            | 23" - 30"      | 22"         | \$528 |
| 7733   | 2"              | 2"            | 30" - 36"      | 26"         | \$534 |
| 7734   | 2"              | 2"            | 36" - 42"      | 32"         | \$579 |

**NOTE:**

- Casters are available for this option. Add \$40 to LIST per base, and add prefix "C" to PART #.
- This base is able to come with concealed wheels. Order one base per table with this option and one base with standard leveler for "wheelbarrow" mobility. Add \$164 to LIST, and add prefix "N" to PART #.

## TUBULAR T FLIP-TOP BASE (WELDED CONSTRUCTION)

| PART # | COLUMN DIAMETER | BASE DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST  |
|--------|-----------------|---------------|----------------|-------------|-------|
| H7716  | 2"              | 2"            | 16" - 18"      | 16"         | \$593 |
| H7718  | 2"              | 2"            | 19" - 22"      | 18"         | \$596 |
| H7722  | 2"              | 2"            | 23" - 30"      | 22"         | \$601 |
| H7726  | 2"              | 2"            | 30" - 36"      | 26"         | \$607 |

**NOTE:**

- **Assembly is required.**
- The handle release is included with Flip-Top tables. Specify length of table and width.
- This base is able to come with concealed wheels. Order one base per table with this option and one base with standard leveler for "wheelbarrow" mobility. Add \$164 to LIST, and add prefix "N" to PART #.
- This base has an adjustable spring clip option. For a standard height base, the range of height is 24.75" to 33.75", with adjustability in 1" increments. Add \$195 to LIST, and add prefix "AH" to PART #. For a bar height base, the range of height is 27.75" to 40.75". Add \$281 to LIST, and add prefix "AHB" to PART #.
- Casters are available for this option. Add \$40 to LIST per base, and add prefix "C" to PART #.

## TUBULAR TT BASE

FINISH  
PAINT CHROME

| PART # | COLUMN DIAMETER | MAX. TOP DEPTH      | BASE SPREAD | LIST  | LIST  |
|--------|-----------------|---------------------|-------------|-------|-------|
| 7034   | 2"              | 42"                 | 30"         | \$491 | \$683 |
| 7036   | 2"              | 60" Rect./Sq./Round | 36"         | \$505 | \$697 |
| 7042   | 2"              | 72" Rect./Sq./Round | 42"         | \$553 | \$745 |



**NOTE:**

- This base is available in special heights, can come with casters, and is available with a folding option. Please call for pricing.
- Casters are available for this option. Add \$59 to LIST per base, and add prefix "C" to PART #.
- Special Heights are available. For a shorter base, add \$136 to LIST. For a taller base, add \$191 to list. Bar height bases are 40.75" high, and require an addition of \$191 to LIST.

# TABLE BASES

## DESCRIPTION

Functional, high-quality and inexpensive, this offset C type base offers freedom of movement because of the offset column. Base height is 27.75". The column and base tubing are both 14 gauge.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available. For a shorter base, add \$71 to LIST. For a taller base, add \$99 to LIST.
- Bar height bases are 40.75" tall and require an addition of \$99 to LIST and add prefix "BH" to PART #.
- Wire management options are available.

## FINISH SPECIFICATIONS EXAMPLE

**Part #: 7118**

- **Quantity:** 2
- **Finish:** Medium Tone (SS MT)



TUBULAR C BASE



FOLDING MECHANISM



CONCEALED WHEEL



ADJUSTABLE SPRING CLIP

| TUBULAR C BASE |                 |                |             | FINISH |        |
|----------------|-----------------|----------------|-------------|--------|--------|
|                |                 |                |             | PAINT  | CHROME |
| PART #         | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST   | LIST   |
| 7118           | 2"              | 18" - 22"      | 18"         | \$311  | \$452  |
| 7122           | 2"              | 23" - 26"      | 22"         | \$316  | \$457  |
| 7126           | 2"              | 27" - 32"      | 26"         | \$322  | \$463  |

## NOTE:

- This base is optional to include concealed wheels. Order one base per table with this option and one base with standard leveler for "wheelbarrow" mobility. Add \$164 to LIST, and add prefix "N" to PART #.
- This base can come with a Flip-Top and a handle release. Add \$317 to LIST per base, and add prefix "H" to PART #. Specify length and width of the table.
- This base has an adjustable spring clip option. For a standard height base, the range of height is 24.75" to 33.75", with adjustability in 1" increments. Add \$195 to LIST, and add prefix "AH" to PART #. For a bar height base, the range of height is 27.75" to 40.75". Add \$281 to LIST, and add prefix "AHB" to PART #.
- For casters, add \$40 per base.

# TABLE BASES

| TUBULAR X BASE |                 |                    |             | FINISH |        |
|----------------|-----------------|--------------------|-------------|--------|--------|
| PART #         | COLUMN DIAMETER | MAX. TOP DEPTH     | BASE SPREAD | PAINT  | CHROME |
|                |                 |                    |             | LIST   | LIST   |
| 7522           | 3"              | 24" R/S            | 22" x 22"   | \$542  | \$745  |
| 7526           | 3"              | 30" R/S, 36" R     | 26" x 26"   | \$559  | \$762  |
| 7532           | 3"              | 36" S, 42" R       | 32" x 32"   | \$624  | \$855  |
| 7538           | 4"              | 42" S, 48" - 60" R | 38" x 38"   | \$683  | \$926  |



## NOTE:

- R = Round
- S = Square
- This base can be made compatible for Flip-Top by adding \$238 to LIST and adding prefix "FT" to PART #. Max top size for FT8538 is 54".
- Special heights are available. For a shorter base, add \$99 to LIST. For a taller base, add \$128 to LIST. Bar height bases are 40.75" high, and require an addition of \$128 to LIST, and add prefix "BH" to PART #.

| TUBULAR X BASE WITH CASTERS |                 |                    |             | FINISH |         |
|-----------------------------|-----------------|--------------------|-------------|--------|---------|
| PART #                      | COLUMN DIAMETER | MAX. TOP DEPTH     | BASE SPREAD | PAINT  | CHROME  |
|                             |                 |                    |             | LIST   | LIST    |
| C7522                       | 3"              | 24" R/S            | 22" x 22"   | \$621  | \$824   |
| C7526                       | 3"              | 30" R/S, 36" R     | 26" x 26"   | \$638  | \$841   |
| C7532                       | 3"              | 36" S, 42" R       | 32" x 32"   | \$703  | \$934   |
| C7538                       | 4"              | 42" S, 48" - 60" R | 38" x 38"   | \$762  | \$1,005 |



## NOTE:

- R = Round
- S = Square
- This base can be made compatible for Flip-Top by adding \$238 to LIST and adding prefix "FT" to PART #. Maximum top size is 48" for FTC8538.
- Special heights are available. For a shorter base, add \$99 to LIST. For a taller base, add \$128 to LIST. Bar height bases are 40.75" high, and require an addition of \$128 to LIST, and add prefix "BH" to PART #.

| TUBULAR 4-POST X BASE |                 |                    |             | FINISH  |         |
|-----------------------|-----------------|--------------------|-------------|---------|---------|
| PART #                | COLUMN DIAMETER | MAX. TOP DEPTH     | BASE SPREAD | PAINT   | CHROME  |
|                       |                 |                    |             | LIST    | LIST    |
| 7438                  | 2"              | 48" - 60" R, 48" S | 38" x 38"   | \$1,075 | \$1,696 |
| 7448                  | 2"              | 60" - 84" R, 60" S | 48" x 48"   | \$1,217 | \$1,894 |



## NOTE:

- R = Round
- S = Square
- Special heights are available. Call for pricing.

# TABLE BASES

## DESCRIPTION

Straight legs are functional, high-quality and inexpensive.

Base height is 27.75". The column tubing is 14 gauge or 1.5" and 2" diameter legs. The column tubing is 16 gauge for 3", 4", and 6" diameter legs.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available. For a shorter base, add \$49 to LIST. For a taller base, add \$66 for 2", \$95 for 3", \$100 for 4", and \$198 for 6" to LIST.
- Bar height bases are 40.75" tall and require an addition of \$66 for 2", \$95 for 3", \$100 for 4", and \$198 for 6" to LIST. Add prefix "BH" to PART #.
- Wire management options are available.

## FINISH SPECIFICATIONS EXAMPLE

**Part #:** 1500

- **Quantity:** 2
- **Finish:** Medium Tone (SS MT)



| STRAIGHT LEGS |                 | FINISH |        |
|---------------|-----------------|--------|--------|
|               |                 | PAINT  | CHROME |
| PART #        | COLUMN DIAMETER | LIST   | LIST   |
| 1500          | 1.5"            | \$271  | \$361  |
| 2000          | 2"              | \$150  | \$240  |
| 3000          | 3"              | \$215  | \$327  |
| 4000          | 4"              | \$237  | \$367  |
| 6000          | 6"              | \$522  | \$692  |


| STRAIGHT LEGS WITH CASTERS |                 | FINISH |        |
|----------------------------|-----------------|--------|--------|
|                            |                 | PAINT  | CHROME |
| PART #                     | COLUMN DIAMETER | LIST   | LIST   |
| C1500                      | 1.5"            | \$294  | \$384  |
| C2000                      | 2"              | \$172  | \$263  |
| C3000                      | 3"              | \$265  | \$378  |
| C4000                      | 4"              | \$296  | \$423  |

## NOTE:

- Folding (for PART # 2000 only) allows for folding the leg. Add \$198 and add prefix "F" to PART #. Maximum table size 36" x 60" or 48" x 48".
- A heavy-duty folding mechanism is available for PART # 2000 only. Add \$232 for each leg to LIST, and add prefix "HDF" to PART #. For tables larger than 36" x 60", 48" x 48" or heavy-duty application on smaller tables.
- This base has an adjustable spring clip option for 2" diameter leg only. For a standard height base, the range of height is 24.75" to 33.75", with adjustability in 1" increments. Add \$195 to LIST, and add prefix "AH" to PART #.



## TABLE BASES



| VALUE STRAIGHT LEG |              |       |
|--------------------|--------------|-------|
| PART #             | LEG DIAMETER | LIST  |
| 4024               | 4"           | \$210 |

| PENINSULA SQUARE LEG |              |       |
|----------------------|--------------|-------|
| PART #               | LEG DIAMETER | LIST  |
| 2514                 | 2"           | \$281 |
| 3030                 | 3"           | \$339 |

**NOTE:**

- Casters are available for this base. Caster diameter is 2.375". For 2" leg add \$40 to LIST. For 3" leg add \$52 to LIST.
- Special heights are available. For a shorter base, add \$68 to LIST. For a taller base, add \$129 to LIST for 2" leg or 3" leg. Bar height bases are 40.75" high, and require an addition of \$129 to LIST, and add prefix "BH" to PART #.



| ADJUSTABLE PENINSULA LEG |                 |               | FINISH |        |
|--------------------------|-----------------|---------------|--------|--------|
| PART #                   | COLUMN DIAMETER | HEIGHT        | PAINT  | CHROME |
|                          |                 |               | LIST   | LIST   |
| 3400                     | 3"              | 24.875" - 29" | \$333  | \$488  |
| 4400                     | 4"              | 24.875" - 29" | \$356  | \$539  |
| 6400                     | 6"              | 24.875" - 29" | \$635  | \$875  |

# TABLE BASES

## DESCRIPTION

This classic modern rectangular design is of welded construction, thus making it strong and durable. Its clean, stylish look mixes well with most office spaces. The column is either 1" x 2" rectangle tubing or 1" x 1.5" rectangle tubing.

## NOTES

- Price is for 1 unit. Please order as necessary.
- Additional heights are available; see notes below.
- Wire management options are available.

## FINISH SPECIFICATIONS EXAMPLE

- Part #:** 2254
- **Quantity:** 2
  - **Finish:** Medium Tone (SS MT)



### RECTANGULAR RAISED BAR

| PART # | BASE HEIGHT | MAX. TOP DEPTH | BASE SPREAD | LIST  |
|--------|-------------|----------------|-------------|-------|
| 2254   | 27.3125"    | 24"            | 22.875"     | \$508 |
| 2255   | 27.3125"    | 30"            | 28.875"     | \$525 |

#### NOTE:

- Rectangular Lowered Bar also available. Call for details.
- Casters available. Add \$68 to LIST and add prefix "C" to PART #.
- Taller heights unavailable. Shorter heights available. Call for pricing.



### PENINSULA H LEG

| PART # | BASE HEIGHT | MAX. TOP DEPTH | COLUMN DIAMETER | LIST  |
|--------|-------------|----------------|-----------------|-------|
| 2214   | 27.75"      | 24" - 30"      | 2"              | \$316 |
| 2220   | 27.75"      | 36"            | 2"              | \$356 |
| 3314   | 27.75"      | 24" - 30"      | 3"              | \$381 |
| 3320   | 27.75"      | 36"            | 3"              | \$418 |

#### NOTE:

- Special heights are available. For a shorter base, add \$98 to LIST. For a taller base, add \$187 to LIST for 2" leg or 3" leg. Bar height bases are 40.75" high, and require an addition of \$187 to LIST, and add prefix "BH" to PART #.
- This base has an adjustable spring clip option for 2" diameter only. For a standard height base, the range of height is 24.75" to 33.75", with adjustability in 1" increments. Add \$390 to LIST, and add prefix "AH" to PART #. For a bar height base, the range of height is 27.75" to 40.75". Add \$540 to LIST, and add prefix "AHB" to PART #.
- More sizes available. Call for details.

## TABLE BASES

| DURACAST 4-POST X BASE |                 |                |             | FINISH<br>PAINT | POLISHED<br>ALUMINUM |
|------------------------|-----------------|----------------|-------------|-----------------|----------------------|
| PART #                 | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST            | LIST                 |
| 5247                   | 2.25"           | 60"            | 38" x 38"   | \$1,276         | \$1,756              |
| 5248                   | 2.25"           | 72"            | 46" x 46"   | \$1,355         | \$1,835              |
| 5249                   | 2.25"           | 96"            | 58" x 58"   | \$1,454         | \$1,934              |



### NOTE:

- This base is available in special heights. For a shorter base, add \$198 to LIST. For a taller base, add \$353 to LIST. For a bar height base, add \$353 to LIST, and add prefix "BH" to PART #.
- Casters are available as an option. Add \$80 to LIST per base, and add prefix "C" to PART #.

| DURACAST TRIPOD BASE |                 |                |             | FINISH<br>PAINT | POLISHED<br>ALUMINUM |
|----------------------|-----------------|----------------|-------------|-----------------|----------------------|
| PART #               | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST            | LIST                 |
| 5240                 | 2.25"           | 24" Round      | 20.125"     | \$457           | \$559                |
| 5242                 | 2.25"           | 30" Round      | 26"         | \$491           | \$593                |
| 5244                 | 2.25"           | 36" Round      | 33.25"      | \$519           | \$621                |



### NOTE:

- This base is available in special heights. For a shorter base, add \$70 to LIST. For a taller base, add \$99 to LIST. For a bar height base, add \$99 to LIST, and add prefix "BH" to PART #.
- Casters are available as an option. Add \$63 to LIST per base, and add prefix "C" to PART #.
- This base has an adjustable spring clip option. For a standard height base, add \$281 to LIST, and add prefix "AH" to PART #. For a bar height base, add \$367 to LIST, and add prefix "AHB" to PART #.
- For a Flip-Top application, add \$215 to LIST, and add prefix "FT" to PART #.

## TABLE BASES

| DURACAST Y BASE |                 |                |             | FINISH<br>PAINT | POLISHED<br>ALUMINUM<br>OR CHROME |
|-----------------|-----------------|----------------|-------------|-----------------|-----------------------------------|
| PART #          | COLUMN DIAMETER | MAX. TOP DEPTH | BASE SPREAD | LIST            | LIST                              |
| 5132            | 2.25"           | 24"            | 17.5"       | \$339           | \$435                             |
| 5134            | 2.25"           | 30"            | 22.75"      | \$361           | \$457                             |
| S5136           | 2.25"           | 48"            | 33.375"     | \$542           | \$644                             |



Stretcher optional in specific applications. Order two bases per table.

### NOTE:

- For a shorter base, add \$71 to LIST. For a taller base, add \$99 to LIST. For a bar height base, add \$99 to LIST, and add prefix "BH" to PART #.
- Casters are available. Add \$40 to LIST per base, and add prefix "C" to PART #.
- This base has an adjustable spring clip option. For a standard height base, add \$195 to LIST, and add prefix "AH" to PART #. For a bar height base, add \$281 to LIST, and add prefix "AHB" to PART #.
- For a Flip-Top & handle release application, add \$294 to LIST, and add prefix "H" to PART #.
- PART # S5135 requires the addition of the stretcher, whereas for bases 5132 and 5134 the stretcher is an optional part.
- 36" option available. Please call for pricing.

| DURACAST Y BASE STRETCHER |                  |                |                 | FINISH<br>PAINT | POLISHED<br>ALUMINUM<br>OR CHROME |
|---------------------------|------------------|----------------|-----------------|-----------------|-----------------------------------|
| PART #                    | STRETCHER LENGTH | MAX. TOP DEPTH | MAX. TOP LENGTH | LIST            | LIST                              |
| 5095-3                    | 34"              | 36" - 48"      | 60"             | \$268           | \$392                             |
| 5095-4                    | 40"              | 24" - 48"      | 60" - 72"       | \$282           | \$412                             |
| 5095-5                    | 50"              | 24" - 48"      | 72" - 84"       | \$322           | \$477                             |
| 5095-6                    | 58"              | 36" - 48"      | 96"             | \$350           | \$517                             |
| 5095-7                    | 64"              | 24" - 30"      | 84"             | \$361           | \$545                             |



### NOTE:

- A stretcher is required on some Y Bases. Stretchers can also be used on T and TT Bases.
- When ordering a table base with the stretcher, add prefix "S" to the table base PART #.

| CYLINDER BASE |          |                 |         |
|---------------|----------|-----------------|---------|
| PART #        | DIAMETER | MAX TOP DEPTH   | LIST    |
| 1200          | 12"      | 24" Round       | \$1,394 |
| 1800          | 18"      | 42" - 48" Round | \$1,778 |
| 2400          | 24"      | 48" - 60" Round | \$2,244 |

### NOTE:

- Special heights are available for this base. Please call for pricing.



## TABLE BASES



| TAPERED LEGS |                    |            | FINISH  |         |
|--------------|--------------------|------------|---------|---------|
| PART #       | LEG DIAMETER       | FOOT STYLE | PAINT   | CHROME  |
|              |                    |            | LIST    | LIST    |
| 2520         | 2.5" down to 1.25" | Leveler    | \$291   | \$398   |
| C2520        | 2.5" down to 1.25" | Caster     | \$305   | \$412   |
| 4200         | 4" down to 2"      | Leveler    | \$370   | \$505   |
| 4240         | 5" down to 2.25"   | Leveler    | \$1,152 | \$1,462 |

**NOTE:**

Special heights are available.

- For a shorter base #2520 & #C2520, add \$100 to LIST.
- For a shorter base #4200 & #4240, add \$144 to LIST.



| BENT LEG - STYLE A |              |            |       |
|--------------------|--------------|------------|-------|
| PART #             | LEG DIAMETER | FOOT STYLE | LIST  |
| 1520               | 1.5"         | Leveler    | \$361 |
| C1520              | 1.5"         | Caster     | \$373 |

**NOTE:**

- Special heights are unavailable for this leg.



| BENT LEG - STYLE B |              |            |       |
|--------------------|--------------|------------|-------|
| PART #             | LEG DIAMETER | FOOT STYLE | LIST  |
| 2340               | 2"           | Leveler    | \$254 |
| C2340              | 2"           | Caster     | \$271 |


**NOTE:**

- Special heights are available for this base. Please call for pricing.

# ELECTRIC ADJUSTABLE-HEIGHT BASES

**DESCRIPTION** Use Electric Adjustable-Height Bases to create freestanding desks, or use in cubicle applications.

- NOTES**
- 2-Legged Offset Electric Adjustable-Height Bases can be assembled for left or right handed users.
  - Unit includes: one 23" foot\*, one 39" foot, and two ultra-quiet motors with programmable control unit.




INNOVATIVE OFFSET DESIGN

Offset base accomodates extended corner surfaces without the need for a 3-legged base.




## ELECTRIC HEIGHT-ADJUSTABLE OFFSET BASE

| PART #      | DESCRIPTION | BASE HEIGHT   | WIDTH     | WEIGHT CAPACITY | FINISH      | LIST  |
|-------------|-------------|---------------|-----------|-----------------|-------------|-------|
| IAF-2AR3S-G | 2 LEGGED    | 23.6" - 49.2" | 40" - 71" | 225 LBS         | Silver/Grey | \$720 |



3 STAGE LEG ADJUSTS FROM 23.6"-49.2" EXCLUDING SURFACE



**NOTE:**

- \* Order extended foot for 30" deep surfaces.

# ELECTRIC ADJUSTABLE-HEIGHT BASES

**DESCRIPTION** Use Electric Adjustable-Height Bases to create freestanding desks, or use in cubicle applications.

**NOTES**

- Unit includes: two or three standard 23" feet\* and two or three ultra-quiet motors with programmable control unit.



Same telescoping and 3 stage  
leg capabilities consistent with  
our line of bases.

## ELECTRIC HEIGHT-ADJUSTABLE STANDARD BASE

| PART #     | DESCRIPTION | BASE HEIGHT   | WIDTH     | WEIGHT CAPACITY | FINISH      | LIST    |
|------------|-------------|---------------|-----------|-----------------|-------------|---------|
| IAF-2AR3-G | 2 LEGGED    | 23.6" - 49.2" | 40" - 71" | 225 LBS         | Silver/Grey | \$640   |
| IAF-3AR3-G | 3 LEGGED    | 23.6" - 49.2" | 40" - 71" | 337 LBS         | Silver/Grey | \$1,008 |

**NOTE:**

- \* Order extended foot for 30" deep surfaces.

# ELECTRIC ADJUSTABLE-HEIGHT BASES

**DESCRIPTION** Use Electric Adjustable-Height Bases to create freestanding desks, or use in cubicle applications.

**NOTES**


- Unit includes: two standard 23" feet\*, one 8" foot, and three ultra-quiet motors with programmable control unit.



Articulating 3 legged base can accommodate a 12' long conference table.

| ELECTRIC HEIGHT-ADJUSTABLE ARTICULATING BASE |             |               |           |                 |             |         |
|--|-------------|---------------|-----------|-----------------|-------------|---------|
| PART #                                       | DESCRIPTION | BASE HEIGHT   | WIDTH     | WEIGHT CAPACITY | FINISH      | LIST    |
| IAF-3AR3-120-G                               | 3 LEGGED    | 23.6" - 49.2" | 40" - 71" | 337 LBS         | Silver/Grey | \$1,008 |

Limitless applications with this electric height-adjustable articulating base.



NOTE:

- \* Order extended foot for 30" deep surfaces.



# ELECTRIC ADJUSTABLE-HEIGHT BASES



## PROGRAMMABLE CONTROL

| PART #      | DESCRIPTION   | LIST                               |
|-------------|---|------------------------------------|
| IAF-33HB-2G | Programmable pre-set height control panel for 2-legged or 3-legged base | Included with purchase of any base |
| IAF-33HB-3G |   |                                    |

### NOTE:

- Offers the possibility of three individual users to program their own height settings.
- UP/DOWN buttons adjust height without affecting programmed heights.
- Features automatic safety stop on height control.
- Adjustment speed is 1.2" per second.




## SWIVEL CASTER SET

| PART #     | DESCRIPTION                   | LIST                              |
|------------|-------------------------------|-----------------------------------|
| IAF-CASTER | In a set of 4 or individually | \$8/individually<br>\$32/set of 4 |

### NOTE:

- Caster adds 3.5" to overall height of base.




## EXTENDED FOOT

| PART #       | DESCRIPTION       | FINISH      | LIST |
|--------------|-------------------|-------------|------|
| IAF-EXFOOT-G | 28" Extended Foot | Silver/Grey | \$28 |

### NOTE:

- Increase stability of larger tops with a support extender.
- Use standard foot for 24" deep surfaces.
- Use extended foot for 30" deep surfaces.



## OTHER ACCESSORIES

| PART #    | DESCRIPTION | FINISH      | LIST |
|-----------|-------------|-------------|------|
| IAF-WT-G  | Wire Tray   | Silver/Grey | \$38 |
| IAF-CPU-G | CPU Holder  | Silver/Grey | \$42 |

## TABLE BASES - OPTIONS & ACCESSORIES



| FLIP-TOP KIT |                                       |       |
|--------------|---------------------------------------|-------|
| PART #       | DESCRIPTION                           | LIST  |
| 9201         | Kit - 2 mechanisms and handle release | \$576 |

**NOTE:**


- Flip-Top mechanism kit allows the user to flip up a table top for easy storage and nesting. The handle release mounts on the underside of the table, and is centered. The single handle allows one user to flip the table up or down.
- Specify table width and length.
- This kit accommodates 2" diameter columns.
- Finishes: S Silver or B Black



| CURVED VERTICAL WIRE MANAGER |        |   |       |
|------------------------------|--------|---|-------|
| PART #                       | LENGTH | SIZE INSIDE                                 | LIST  |
| 9002-0022                    | 22"    | Contoured,<br>Approximately<br>1.75" x 0.5" | \$55  |
| 9002-0048                    | 48"    |   | \$96  |
| 9002-0096                    | 96"    |   | \$141 |

**NOTE:**


- Available in black or silver.



| RECTANGULAR VERTICAL WIRE MANAGER |        |               |      |
|-----------------------------------|--------|---------------|------|
| PART #                            | LENGTH | SIZE INSIDE   | LIST |
| 9001-0016                         | 15.62" | 0.082" x 1.8" | \$61 |
| 9001-0019                         | 19"    | 0.082" x 1.8" | \$64 |
| 9001-0047                         | 47"    | 0.082" x 1.8" | \$92 |

**NOTE:**

- Available in black or silver.



| GANGING HARDWARE |  |           |
|------------------|--|-----------|
| PART #           | DESCRIPTION  | LIST      |
| GH               | Used to join work surfaces together and dismantle for reconfigurations | \$58/pair |

**NOTE:**

- Applied to underside of work surfaces. Surfaces can be joined by connecting a pair and locking them together.

# WORK SURFACE SUPPORTS


DESCRIPTION Metal work surface supports.

## NOTES

- Standard finish for Cantilever Brackets, L-Brackets, Tie Plates, Side Support Brackets, Stiffener Bars, and Flat Brackets is Dark Tone (**SS DT**).

FINISH  
SPECIFICATIONS  
EXAMPLE

Part #: FB19




## ANGLE BRACKET

| PART # | DIMENSION               | LIST |
|--------|-------------------------|------|
| ANGLE  | 9.625" x 9.625" x 1.25" | \$20 |

### NOTE:

- Angle Brackets connect work surfaces to another support unit such as an end panel or a modesty panel.
- Works in conjunction with the L-Bracket.




## L-BRACKET

| PART # | DIMENSION          | LIST |
|--------|--------------------|------|
| LB     | 6" x 1.25" x 1.25" | \$20 |

### NOTE:

- L-Brackets connect work surfaces to another support unit such as an end panel or a modesty panel.
- Works in conjunction with the Angle Bracket.


## WORK SURFACE SUPPORTS



| FLAT BRACKET |        |       |      |
|--------------|--------|-------|------|
| PART #       | LENGTH | WIDTH | LIST |
| FB9          | 9"     | 3"    | \$32 |
| FB19         | 19"    | 3.75" | \$42 |
| FB25         | 25"    | 3.75" | \$47 |

**NOTE:**


- Flat Brackets connect two work surfaces when a cantilever cannot be used.



| TIE PLATE |        |       |      |
|-----------|--------|-------|------|
| PART #    | LENGTH | WIDTH | LIST |
| TIE       | 2.25"  | 2.25" | \$16 |

**NOTE:**

- Tie Plates are used to keep flush the front edges of two adjoining work surfaces.




| STIFFENER BAR |       |       |
|---------------|-------|-------|
| PART #        | WIDTH | LIST  |
| STIFFENER     | 57"   | \$105 |

**NOTE:**

- Use them on unsupported spans of 42" or more. Office Furnishing Solutions recommends surfaces be supported every 42".
- Stiffener Bars will help keep work surfaces straight and true, and prevent work surfaces from bowing.
- STIFFENER BARS ARE NOT A REPLACEMENT FOR PROPER SUPPORT.**

# TRANSACTION SURFACE SUPPORTS




## END TRANSACTION SURFACE SUPPORT

| PART # | HEIGHT | WIDTH | DEPTH | LIST |
|--------|--------|-------|-------|------|
| ETSS   | 2.5"   | 1"    | 10"   | \$67 |

**NOTE:**

- Placed above the last panel in a run.
- Bracket provides support on both sides of the panel to fully support one end of the transaction surface.




## MID TRANSACTION SURFACE SUPPORT

| PART # | HEIGHT | WIDTH | DEPTH | LIST |
|--------|--------|-------|-------|------|
| MTSS   | 2"     | 1"    | 10"   | \$67 |

**NOTE:**

- Supports a transaction surface in a variety of applications.
- Placed above an in-line connection, a 90° Connector Post or a 120° Connector Post.
- Bracket provides support on both sides of the panel.



## SHARED TRANSACTION SURFACE SUPPORT

| PART # | HEIGHT | WIDTH | DEPTH | LIST |
|--------|--------|-------|-------|------|
| STSS   | 2"     | 1"    | 10"   | \$67 |

**NOTE:**

- Supports two transaction surfaces in a variety of applications.
- Bracket provides support on both sides of the panel.

# WORK SURFACE SUPPORT PANELS



**DESCRIPTION** Provides support to the work surface.

## NOTES

- Non-handed panel supports, with PVC edge. Add 15% to LIST for laminate edges.
- Attached to work surface using L-Brackets and Angle Brackets (both included).
- Includes leveling glides and attachment hardware.
- End Panels are 1-1/4" thick.
- End Panels are finished on the front, back and top edges, unless otherwise specified. This does not include the Black Center Support End Panels.
- For wood grain laminates, the grain will run vertical on all end panels 60" or less.
- End panels are made with the top edge raw. Top end can be finished upon request.
- End panels are made with laminate (standard) or melamine (BLK end panels.) Specification example should reflect laminate and PVC application.

**FINISH  
SPECIFICATIONS  
EXAMPLE**

- Part #: EP24**
- **Edge Finish:** SS DT
  - **Support Finish:** SS DT



## WORK SURFACE END PANEL

| PART # | WIDTH | HEIGHT | LIST  |
|--------|-------|--------|-------|
| EP12   | 12"   | 27.75" | \$163 |
| EP18   | 18"   | 27.75" | \$189 |
| EP20   | 20"   | 27.75" | \$237 |
| EP24   | 24"   | 27.75" | \$253 |
| EP25   | 25"   | 27.75" | \$305 |
| EP30   | 30"   | 27.75" | \$342 |
| EP35   | 35"   | 27.75" | \$395 |
| EP36   | 36"   | 27.75" | \$411 |

### NOTE:

- End Panels are finished in matching PVC edge when possible. Otherwise, a laminate edge can be used with self-edge upcharges.

## WORK SURFACE END PANEL STANDING HEIGHT

| PART # | WIDTH | HEIGHT | LIST  |
|--------|-------|--------|-------|
| EP1242 | 12"   | 42"    | \$189 |
| EP1842 | 18"   | 42"    | \$263 |
| EP2042 | 20"   | 42"    | \$289 |
| EP2442 | 24"   | 42"    | \$337 |
| EP2542 | 25"   | 42"    | \$347 |
| EP3042 | 30"   | 42"    | \$405 |
| EP3542 | 35"   | 42"    | \$468 |
| EP3642 | 36"   | 42"    | \$479 |

### NOTE:

- End Panels are finished in matching PVC edge when possible. Otherwise, a laminate edge can be used with self-edge upcharges.

# WORK SURFACE SUPPORT PANELS

## CANTILEVER END PANELS


| PART # | WIDTH (TOP) | WIDTH (BOTTOM) | HEIGHT | LIST  |
|--------|-------------|----------------|--------|-------|
| CEP24  | 21"         | 12"            | 27.75" | \$307 |
| CEP30  | 27"         | 12"            | 27.75" | \$341 |

## BLACK CENTER SUPPORT END PANEL

| PART #  | WIDTH | HEIGHT | LIST  |
|---------|-------|--------|-------|
| EP12BLK | 12"   | 27.75" | \$137 |
| EP18BLK | 18"   | 27.75" | \$163 |


## WORK SURFACE T-LEG SUPPORT PANEL

| PART # | WIDTH | HEIGHT | LIST  |
|--------|-------|--------|-------|
| TEP20  | 20"   | 27.75" | \$305 |
| TEP24  | 24"   | 27.75" | \$332 |
| TEP25  | 25"   | 27.75" | \$337 |
| TEP30  | 30"   | 27.75" | \$379 |
| TEP35  | 35"   | 27.75" | \$416 |
| TEP36  | 36"   | 27.75" | \$426 |
| TEP42  | 42"   | 27.75" | \$474 |
| TEP45  | 45"   | 27.75" | \$495 |
| TEP48  | 48"   | 27.75" | \$516 |
| TEP54  | 54"   | 27.75" | \$589 |
| TEP60  | 60"   | 27.75" | \$637 |



### NOTE:


- T-End Panels are 1-1/4" thick.
- T-End Panels come with adjustable leveling glides and mounting hardware. Use L-Brackets and Angle Brackets to attach to work surfaces (included).
- Standard size of "T" is 12" up to 48" wide, and 15" on end panels wider than 48".
- T-End Panels are non-handed panel supports finished in matching PVC edge when possible. Otherwise, a laminate edge can be used with self-edge upcharges.



## WORK SURFACE T-LEG SUPPORT PANEL STANDING HEIGHT


| PART #  | WIDTH | HEIGHT | LIST  |
|---------|-------|--------|-------|
| TEP2042 | 20"   | 42"    | \$289 |
| TEP2442 | 24"   | 42"    | \$337 |
| TEP2542 | 25"   | 42"    | \$347 |
| TEP3042 | 30"   | 42"    | \$405 |
| TEP3542 | 35"   | 42"    | \$468 |
| TEP3642 | 36"   | 42"    | \$479 |

# MODESTY PANELS



## NOTE:

- Laminate Modesty Panels are 1-1/4" thick.
- Laminate Modesty Panels come with adjustable leveling glides.
- Attachment hardware to attach to work surfaces – L-Brackets and Angle Brackets – is included.
- Laminate Modesty Panels are finished in matching PVC edge when possible. Otherwise, a laminate edge can be used with self-edge upcharges.
- For wood grain laminates, the grain will run vertical on all Modesty Panels 60" or less.
- Full height modesty panels are finished on the sides, but tops and bottoms are raw and have leveling glides.
- Half height modesty panels are finished on the sides and bottom and don't have leveling glides.



## NOTE:

- Metal Modesty Panels are solid and do not include any perforations.
- Wire management tray at bottom is 2" deep.
- Fasteners to attach to work surfaces are included.
- Metal Modesty Panels are designed to be in-set 6" from each side of the work surface.
- Specify metal color code as suffix to PART #. Refer to [www.SegmentedSystemsMfg.com](http://www.SegmentedSystemsMfg.com) for finish options.

## LAMINATE MODESTY PANEL

| PART # | WIDTH | HEIGHT | LIST  |
|--------|-------|--------|-------|
| MP42   | 42"   | 27.75" | \$478 |
| MP45   | 45"   | 27.75" | \$494 |
| MP48   | 48"   | 27.75" | \$499 |
| MP54   | 54"   | 27.75" | \$509 |
| MP60   | 60"   | 27.75" | \$562 |
| MP66   | 66"   | 27.75" | \$599 |
| MP70   | 70"   | 27.75" | \$630 |
| MP72   | 72"   | 27.75" | \$662 |
| MP78   | 78"   | 27.75" | \$672 |
| MP84   | 84"   | 27.75" | \$709 |
| MP90   | 90"   | 27.75" | \$751 |

## HALF HEIGHT LAMINATE MODESTY PANEL

| PART # | WIDTH | HEIGHT | LIST  |
|--------|-------|--------|-------|
| 13MP42 | 42"   | 13"    | \$287 |
| 13MP45 | 45"   | 13"    | \$296 |
| 13MP48 | 48"   | 13"    | \$299 |
| 13MP54 | 54"   | 13"    | \$305 |
| 13MP60 | 60"   | 13"    | \$337 |
| 13MP66 | 66"   | 13"    | \$359 |
| 13MP70 | 70"   | 13"    | \$378 |
| 13MP72 | 72"   | 13"    | \$397 |
| 13MP78 | 78"   | 13"    | \$403 |
| 13MP84 | 84"   | 13"    | \$425 |
| 13MP90 | 90"   | 13"    | \$451 |

## SOLID METAL MODESTY PANEL

| PART #   | HEIGHT | DEPTH | WIDTH | LIST  |
|----------|--------|-------|-------|-------|
| MOD 1811 | 11"    | 2"    | 18"   | \$250 |
| MOD 2411 | 11"    | 2"    | 24"   | \$262 |
| MOD 3011 | 11"    | 2"    | 30"   | \$281 |
| MOD 3611 | 11"    | 2"    | 36"   | \$293 |
| MOD 4211 | 11"    | 2"    | 42"   | \$311 |
| MOD 4811 | 11"    | 2"    | 48"   | \$329 |
| MOD 5411 | 11"    | 2"    | 54"   | \$342 |
| MOD 6011 | 11"    | 2"    | 60"   | \$360 |



# SOCIAL DISTANCING SCREENS

**DESCRIPTION** Acrylic social distancing screens applied to work surfaces using a variety of clamps. The application of these screens is intended to reduce the spread of infection in the workplace.

## NOTES

- Two clamps should be purchased per screen to properly install. For 60" or 72" screens, order three clamps to ensure stability.
- Pricing is per 1 unit. Please order accordingly.

## SCREEN SPECIFICATIONS EXAMPLE

**Part #:** AC48-C  
 • **Quantity:** 4  
 • **Height:** 24"

## CLAMP SPECIFICATIONS EXAMPLE

**Part #:** SDSEC  
 • **Quantity:** 8  
 • **Finish:** Silver



| ACRYLIC SCREENS |       | HEIGHT |         |
|-----------------|-------|--------|---------|
| PART #          | WIDTH | 18"    | 24"     |
| AC24            | 24"   | \$312  | \$416   |
| AC36            | 36"   | \$468  | \$624   |
| AC48            | 48"   | \$624  | \$832   |
| AC60            | 60"   | \$780  | \$1,040 |
| AC72            | 72"   | \$936  | \$1,248 |

## NOTE:

- Standard finish is frosted. For a clear screen, add suffix "-C" to the PART #.
- Screens are 1/4" thick, P95 acrylic.



| SOCIAL DISTANCING SCREEN EDGE CLAMP |                                 |                 |      |
|-------------------------------------|---------------------------------|-----------------|------|
| PART #                              | DESCRIPTION                     | FINISH          | LIST |
| SDSEC                               | Clamps to edge of work surfaces | Silver or White | \$74 |

## NOTE:

- Clamps to edges as thick as 1.125".



| SOCIAL DISTANCING SCREEN SURFACE CLAMP |                           |                 |      |
|--|---------------------------|-----------------|------|
| PART #                                 | DESCRIPTION               | FINISH          | LIST |
| SDSSC                                  | Screws into work surfaces | Silver or White | \$37 |



| SOCIAL DISTANCING SCREEN PANEL CLAMP |                                  |                 |      |
|--------------------------------------|----------------------------------|-----------------|------|
| PART #                               | DESCRIPTION                      | FINISH          | LIST |
| SDSPC                                | Clamps to top of existing panels | Silver or White | \$63 |

## NOTE:

- Clamps to panels as thick as 2.25". For thicker panels up to 3", add \$4 to LIST and add prefix "3" to PART #.

5225 Joerns Drive, Suite 1  
Stevens Point, WI 54481

**(800) 763-6327**

[www.OfficeFurnishingSolutions.com](http://www.OfficeFurnishingSolutions.com)  
© 2020 Office Furnishing Solutions



OFFICE FURNISHING  
SOLUTIONS

